

July 21, 2021

Mr. Jeff Daniel
Gibson Wine Company
1720 Academy Ave
Sanger, CA 93657

Re: Notice of Preliminary Decision - Federally Mandated Operating Permit
Facility Number: C-572
Project Number: C-1193558

Dear Mr. Daniel:

Enclosed for your review is the District's analysis of Gibson Wine Company's application for the Federally Mandated Operating Permit for its operation at 1720 Academy Ave, Sanger, California.

The notice of preliminary decision for this project has been posted on the District's website (www.valleyair.org). After addressing all comments made during the 30-day public notice and the 45-day EPA comment periods, the District intends to issue the Federally Mandated Operating Permit. Please submit your written comments on this project within the 30-day public comment period, as specified in the enclosed public notice.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,



Brian Clements
Director of Permit Services

Enclosures

cc: Courtney Graham, CARB (w/enclosure) via email
cc: Laura Yannayon, EPA (w/enclosure) via EPS

Samir Sheikh
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585

TITLE V APPLICATION REVIEW

Project #: C-1193558
Deemed Complete: January 23, 2020

Engineer: Jesse A. Garcia
Date: July 21, 2021

Facility Number: C-572
Facility Name: Gibson Wine Company
Mailing Address: 1720 Academy Ave
Sanger, CA 93657

Contact Name: Jeff Daniel
Phone: (559) 531-1402

Responsible Official: Jeff Daniel
Title: General Manager

I. PROPOSAL

Gibson Wine Company is proposing that an initial Title V permit be issued for its existing winery facility in Sanger, CA. The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with those applicable requirements, and to provide the legal and factual basis for proposed permit conditions.

II. FACILITY LOCATION

Gibson Wine Company is located at 1720 Academy Ave in Sanger, CA.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is shown in Attachment A.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant does not propose to use any model general permit templates.

V. SCOPE OF EPA AND PUBLIC REVIEW

The applicant is not requesting any model general permit templates. Therefore, all federally enforceable conditions in this current Title V permit will be subject to EPA and public review.

VI. APPLICABLE REQUIREMENTS NOT ADDRESSED BY GENERAL PERMIT TEMPLATES

District Rule 1070, Inspection (amended December 17, 1992)

District Rule 1081, Source Sampling (amended December 16, 1993)

District Rule 1100, Equipment Breakdown (amended December 17, 1992)

District Rule 1160, Emission Statements (adopted November 18, 1992)

District Rule 2010, Permits Required (amended December 17, 1992)

District Rule 2020, Exemptions (amended December 18, 2014)

District Rule 2031, Transfer of Permits (amended December 17, 1992)

District Rule 2040, Applications (amended December 17, 1992)

District Rule 2070, Standards for Granting Applications (amended December 17, 1992)

District Rule 2080, Conditional Approval (amended December 17, 1992)

District Rule 2201, New and Modified Stationary Source Review Rule (amended August 15, 2019)

District Rule 2520, Federally Mandated Operating Permits (amended August 15, 2019)

District Rule 4101, Visible Emissions (amended February 17, 2005)

District Rule 4102, Nuisance (amended December 17, 1992)

District Rule 4201, Particulate Matter Concentration (amended December 17, 1992)

District Rule 4305, Boilers, Steam Generators, and Process Heaters – Phase 2 (amended August 21, 2003)

District Rule 4306, Boilers, Steam Generators, and Process Heaters – Phase 3 (amended December 17, 2020)

District Rule 4320, Advanced Emission Reduction Option of Boilers, Steam Generators, and Process Heaters Greater Than 5.0 MMBtu/hr (amended December 17, 2020)

District Rule 4601, Architectural Coatings (amended April 16, 2020)

District Rule 4694, Wine Fermentation and Storage Tanks (adopted December 15, 2005)

District Rule 8021, Construction, Demolition, Excavation, Extraction and Other Earthmoving Activities (amended August 19, 2004)

District Rule 8031, Bulk Materials (amended August 19, 2004)

District Rule 8041, Carryout and Trackout (amended August 19, 2004)

District Rule 8051, Open Areas (amended August 19, 2004)

District Rule 8061, Paved and Unpaved Roads (amended August 19, 2004)

District Rule 8071, Unpaved Vehicle/Equipment Traffic Areas (amended September 16, 2004)

40 CFR Part 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units

40 CFR Part 61, Subpart M, National Emission Standard for Asbestos

40 CFR Part 82, Subpart B and F, Stratospheric Ozone

VIII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as Federally Enforceable Through Title V Permit.

This facility is subject to the following rule that is not currently federally enforceable:

1. District Rule 4102, Nuisance

- For this facility, condition 42 of the requirements for permit unit C-572-0-0 is based on the rule listed above and are not Federally Enforceable through Title V.

IX. COMPLIANCE

A. Requirements Addressed by Model General Permit Templates

1. Facility Wide Requirements

The applicant proposes not to utilize any model general permit templates. All applicable requirements are addressed in the following sections.

B. Requirements Not Addressed by Model General Permit Templates

1. District Rule 1070 – Inspections

This rule requires that inspections shall be made by the enforcement agency for the purpose of obtaining information necessary to determine whether air pollution sources are in compliance with applicable rules and regulations. Further, the District has the authority to require recordkeeping, to make inspections and to conduct tests of air pollution sources.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Units	Permit Conditions
C-572-2-5	21
C-572-4-1 through -107-1	2

2. District Rule 1081 – Source Sampling

This rule ensures that any source operation which emits or may emit air contaminants provides adequate and safe facilities for use in sampling to determine compliance. This rule also specifies methods and procedures for source testing, sample collection, and compliance determination.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-2-5	5 and 10

3. District Rule 1100 – Equipment Breakdown

This rule defines a breakdown condition and the procedures to follow if one occurs. The corrective action, the issuance of an emergency variance, and the reporting requirements are also specified. Sections 6.0 and 7.0 prescribe breakdown procedures and reporting requirements.

District Rule 1100 has been submitted to the EPA to replace Fresno County Rule 110 that is in the State Implementation Plan (SIP). District Rule 1100 is at least as stringent as the county SIP rule addressing breakdowns, as shown in the table below:

REQUIREMENTS	District Rule 1100	Fresno Rule 110
A breakdown occurrence must be reported as soon as reasonably possible but no later than 1 hour after detection.	X	X
A variance must be obtained if the occurrence will last longer than a production run or 24 hours, whichever is shorter (96 hours for CEM systems).	X	X
A report must be submitted to the APCO within 10 days of the correction of the breakdown occurrence which includes:	X	X
1) A statement that the breakdown condition has been corrected, together with the date of correction and proof of compliance.	X	X
2) A specific statement of the reason(s) or cause(s) for the occurrence sufficient to enable the APCO to determine whether the occurrence was a breakdown condition.	X	X
3) A description of the corrective measures undertaken and/or to be undertaken to avoid such an occurrence in the future.	X	X
4) Pictures of the equipment or controls which failed if available.	X	X

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	1, 2, and 11

4. District Rule 1160 – Emission Statements

The purpose of this rule is to provide the District with an accurate accounting of emissions from significant sources with which the District and California Air Resources Board (ARB) can compile an accurate inventory.

Section 5.0 requires the owner or operator of any stationary source to provide the District with a written emissions statement showing actual emissions of reactive organic gases (ROGs) and nitrogen oxides (NOx) from that source. The District waives this requirement for sources emitting less than 25 tons per year of these pollutants if the District provides the ARB with an emissions inventory of sources emitting greater than 10 tons per year of NOx or ROGs based on the use of emission factors acceptable to the ARB.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	3

5. District Rule 2010 – Permits Required

Sections 3.0 and 4.0 of District Rule 2010 require any person building, modifying or replacing any operation that may cause the issuance of air contaminants to apply for an Authority to Construct (ATC) from the District in advance. The ATC will remain in effect until the Permit to Operate (PTO) is granted.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	4

6. District Rule 2020 – Exemptions

District Rule 2020 lists equipment which is specifically exempt from obtaining permits and specifies recordkeeping requirements to verify such exemptions.

The rule was amended in December 18, 2014. Since the amendments do not affect the current permit requirements, the changes to the rule will not be addressed in this evaluation.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	4

7. District Rule 2031 – Transfer of Permits

District Rule 2031 prohibits the transfer of Permits to Operate or Authorities to Construct from one location to another, from one piece of equipment to another, or from one person to another unless a new application is filed with and approved by the District.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	6

8. District Rule 2040 – Applications

The purpose of this rule is to explain the procedures for filing, denying, and appealing the denial of applications for an Authority to Construct or a Permit to Operate.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	7

9. District Rule 2070 – Standards for Granting Applications

District Rule 2070 requires sources to be constructed and operated as specified in the Authority to Construct and the Permit to Operate and requires that sources comply with the applicable requirements of District Rule 2201 (New and Modified Stationary Source Review Rule), District Rule 4001 (New Source Performance Standards), and District Rule 4002 (National Emissions Standards for Hazardous Air Pollutants). District Rule 2070 also explains the standards by which an APCO may deny an application for an Authority to Construct or Permit to Operate.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	5

10. District Rule 2080 – Conditional Approval

District Rule 2080 grants the Air Pollution Control Officer (APCO) the authority to issue or revise specific written conditions on an Authority to Construct or a Permit to Operate to assure compliance with emission standards or limitations.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	5

11. New and Modified Stationary Source Review Rule (District NSR Rule)

District Rule 2201 applies to new and modifying stationary sources that require a District permit. District Rule 2201 was last amended on August 15, 2019. This initial Title V permit does not constitute a modification per Section 3.25 of the rule. Therefore, the updated requirements of this rule are not applicable at this time.

Conditions from the current Permit to Operate (PTO) are incorporated into the proposed Title V permit as stated in the table below:

Permit Unit	Permit Condition
C-572-2-5	1, 2, 4, 7, 17, and 20

12. District Rule 2520 – Federally Mandated Operating Permits

The purpose of this rule is to provide for the following:

- 1.1 An administrative mechanism for issuing operating permits for new and modified sources of air contaminants in accordance with requirements of 40 CFR Part 70.
- 1.2 An administrative mechanism for issuing renewed operating permits for sources of air contaminants in accordance with requirements of 40 CFR Part 70.
- 1.3 An administrative mechanism for revising, reopening, revoking, and terminating operating permits for sources of air contaminants in accordance with requirements of 40 CFR Part 70.
- 1.4 An administrative mechanism for incorporating requirements authorized by preconstruction permits issued under District Rule 2201 (New and Modified Stationary Source Review) in a Part 70 permit as administrative amendments, provided that such permits meet procedural requirements substantially equivalent to the requirements of 40 CFR 70.7 and 70.8, and compliance requirements substantially equivalent to those contained in 40 CFR 70.6.
- 1.5 The applicable federal and local requirements to appear on a single permit.

Section 5.2 requires permittees submit applications for Title V permit renewal at least six months prior to permit expiration.

The following condition on the draft permit will serve as a mechanism to

ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	37

Section 9.0 of District Rule 2520 requires certain elements to be contained in each Title V permit as specified below under Section 9.0:

Section 9.1.1 of District Rule 2520 requires all conditions on Title V permits specify a reference of the origin of an authority for each term or condition, and identify any difference in form as compared to the applicable requirements upon which the term or condition is based.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	38

Section 9.4 contains requirements to incorporate all applicable recordkeeping requirements into the Title V permit. This section also specifies records of any required monitoring and support data be kept for a period of five years.

Conditions 8 and 9 on the Facility-Wide requirements for the permit assure compliance with this rule.

Section 9.5 requires the submittal of monitoring reports at least every six months. Prompt reporting of deviations from permitting requirements, including those attributable to upset conditions is also required. The responsible official must certify all required reports.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	10 and 11

Section 9.7 states that the Title V permit must also contain a severability clause in case of a court challenge.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	12

Section 9.8 contains requirements for provisions in the Title V permit stating 1) the permittee must comply with all permit conditions; 2) the permitted activity should not be reduced in order to comply with the permit conditions. Further, this reasoning shall not be used as a defense in an enforcement action, 3) the permit may be revoked, modified, reissued, or reopened for cause, 4) the Title V permit does not reflect any property rights, and 5) the permittee will furnish the District with any requested information to determine compliance with the conditions of the Title V permit.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	5 and 13 through 16

Section 9.9 requires the permit specify that the permittee pay annual permit fees and other applicable as prescribed in Regulation III of the District Rules and Regulations.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	17

Section 9.13.1 requires any report or document submitted under a permit requirement or a request for information by the District or EPA contain a certification by a responsible official as to truth, accuracy, and completeness.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	5 and 26

Section 9.13.2 contains inspection and entry requirements that allows an authorized representative of the District to enter a permittee's premises to inspect equipment, operations, work practices, permits on file, and to sample substances or monitor parameters for the purpose of assuring compliance with the permit requirements.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	18 through 21

Section 9.16 requires that the permittee submit certification of compliance with the terms and standards of Title V permits to the EPA and the District annually (or more frequently as required by the applicable requirement or the District).

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	36

Section 10.0 requires any application form, report, or compliance certification submitted pursuant to these regulations shall contain certification of truth, accuracy, and completeness by a responsible official.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	26

Greenhouse Gas Requirements

There are no federally applicable Greenhouse Gas (GHG) requirements for this source. It should be noted that the Mandatory Greenhouse Gas Reporting rule (40CFR Part 98) is not included in the definition of an applicable requirement within Title V (per 40CFR 71.2). Therefore, there will be no further discussion of GHG in this evaluation.

13. District Rule 4101 – Visible Emissions

The purpose of this rule is to prohibit the emissions of visible air contaminants to the atmosphere.

Section 5.0 prohibits the discharge of any air contaminant for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker in shade as that designated as No. 1 on the Ringelmann Chart; or is of such opacity as to obscure an observer’s view to a degree equal to or greater than the smoke described in Section 5.1 of Rule 4101.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	22

14. District Rule 4201 – Particulate Matter Concentration

The purpose of this rule is to protect the ambient air quality by establishing a particulate matter emission standard. Section 3.0 prohibits the discharge into the atmosphere of dust, fumes, or total suspended particulate matter from any single source operation in excess of 0.1 grain per cubic foot of gas at dry standard conditions.

The only source of particulate matter emissions is the natural gas-fired boiler listed under C-572-2. The particulate matter emissions for this unit is calculated as follows:

F-Factor for NG: 8,578 dscf/MMBtu at 60 °F

PM₁₀ Emission Factor: 0.0076 lb-PM₁₀/MMBtu

Percentage of PM as PM₁₀ in Exhaust: 100%

Exhaust Oxygen (O₂) Concentration: 3%

$$\text{Excess Air Correction to F Factor} = \frac{20.9}{(20.9 - 3)} = 1.17$$

$$GL = \left(\frac{0.0076 \text{ lb} - \text{PM}}{\text{MMBtu}} \times \frac{7,000 \text{ grain}}{\text{lb} - \text{PM}} \right) / \left(\frac{8,578 \text{ ft}^3}{\text{MMBtu}} \times 1.17 \right)$$

$$GL = 0.005 \text{ grain/dscf} < 0.1 \text{ grain/dscf}$$

Since the emissions are less than 0.1 grain/dscf, as shown above, compliance with this rule is expected and the following condition on the

draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-2-5	3

15. District Rule 4305 – Boilers, Steam Generators and Process Heaters-Phase 2

Since the emission limits of District Rule 4306 and all other requirements are equivalent or more stringent than District Rule 4305 requirements, compliance with District Rule 4306 requirements will satisfy requirements of District Rule 4305.

16. District Rule 4306 – Boilers, Steam Generators and Process Heaters-Phase 2

This rule limits NO_x, CO, SO₂ and PM₁₀ emissions from boilers, steam generators and process heaters rated greater than 5 MMBtu/hr.

This rule was amended on December 17, 2020, but the rule amendments have not been incorporated into the SIP. The amended rule is as stringent as the SIP approved version of the rule that was adopted on October 16, 2008.

The boiler listed under permit C-572-2 is rated at 12.2 MMBtu/hr heat input and is therefore subject to this rule.

Section 5.1, NO_x and CO Emissions Limits

Section 5.1 requires that except for units subject to Section 5.2, NO_x and carbon monoxide (CO) emissions shall not exceed the limits specified in the following table. All ppmv emission limits specified in this section are referenced at dry stack gas conditions and 3.00 percent by volume stack gas oxygen.

With a maximum heat input of 12.2 MMBtu/hr, the applicable NO_x emission limit category is listed in Section 5.1, Table 1, Category A, from District Rule 4306. In addition, units shall not be operated in a manner to which exceeds a carbon monoxide (CO) emissions limit of 400 ppmv.

Table 1: Tier 1 Rule 4306 NOx Emissions Limits		
Category	NO _x Limits	CO Limits
A. Units with a total rated heat input equal to or less than 20.0 MMBtu/hr, except for Categories C through I units	a) Standard Schedule 15 ppmv or 0.018 lb/MMBtu; or	400 ppmv @ 3% O ₂
	b) Enhanced Schedule 9 ppmv or 0.011 lb/MMBtu	400 ppmv @ 3% O ₂

The unit is subject to Category A of the emission limits specified in Table 1 of Section 5.2 as this unit is not operated as a low use unit and is not located at an oilfield, refinery or wastewater treatment plant. The unit is limited to the following emission limits:

NO_x and CO limits of unit C-572-2 are 9 ppmv @ 3% O₂ and 115 ppmv @ 3% O₂, respectively. Therefore, compliance with the emissions limits of Section 5.1 Table 1 of District Rule 4306 is expected.

The following condition will be included on permit C-572-2 as a mechanism to ensure compliance with the NO_x and CO requirements of this rule:

- Emissions from the natural gas-fired unit shall not exceed any of the following limits: 9 ppmvd NO_x @ 3% O₂ or 0.011 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 115 ppmvd CO @ 3% O₂ or 0.084 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320]

Section 5.2, Low Use

Section 5.2 specifies requirements for units with maximum annual heat input limits of less than 9 billion Btu's per calendar year. The facility operates this boiler as a full time unit with a heat input of greater than 9 billion Btu's per calendar year. Therefore, the unit is not subject to the requirements of this section.

Section 5.3, Startup and Shutdown Provisions

Section 5.3 states that on and after the full compliance deadline in Section 7.1, the applicable emission limits of Sections 5.1, 5.2.2 and 5.2.3 shall

not apply during start-up or shutdown provided an operator complies with the requirements specified in Sections 5.3.1 through 5.3.4.

According to burner manufacturers, low NO_x burners will achieve their rated emissions within one to two minutes of initial startup and do not require a special shutdown procedure. Because of the short duration before achieving the rated steady state emission factor following startup, this unit will be subject to the applicable emission limits of Section 5.1 at all times and the boiler does not utilize the startup and shutdown provisions specified within this section.

Section 5.4, Monitoring Provisions

Section 5.4.1 specifies requirements for units that simultaneously fire gaseous and liquid fuels. The boiler is not fired simultaneously on gaseous and liquid fuels. Therefore, the requirements of this section are not applicable.

Section 5.4.2 requires that permit units subject to District Rule 4306, Section 5.1 emissions limits shall either install and maintain Continuous Emission Monitoring (CEM) equipment for NO_x, CO and O₂, or install and maintain APCO-approved alternate monitoring.

The facility uses the pre-approved alternate monitoring scheme A (pursuant to District Policy SSP-1105, Alternate Monitoring), which requires that monitoring of NO_x, CO, and O₂ exhaust concentrations shall be conducted at least once per month (in which a source test is not performed) using a portable analyzer. The following conditions will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the alternate monitoring plan:

- The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month thereafter using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless it has been performed within the last month. [District Rules 2201, 4305, 4306 and 4320]
- If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation

after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320]

- All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320]
- The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range [District Rules 4305, 4306 and 4320]

Section 5.5, Compliance Determination

Section 5.5.1 requires that the operator of any unit shall have the option of complying with either the applicable heat input (lb/MMBtu) emission limits or the concentration (ppmv) emission limits specified in Section 5.1. The emission limits selected to demonstrate compliance shall be specified in the source test proposal pursuant to Rule 1081 (Source Sampling). The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320]

Section 5.5.2 requires that all emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0. Therefore, the following condition will be listed on the permit as follows:

- All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4320. [District Rules 4305, 4306, and 4320]

Section 5.5.4 requires that for emissions monitoring pursuant to Sections 5.4.2 and 6.3.1 using a portable NOx analyzer as part of an APCO approved Alternate Emissions Monitoring System, emission readings shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15-consecutive-minute sample reading or by taking at least five (5) readings evenly spaced out over the 15-consecutive-minute period. Therefore, the following previously listed permit condition will be on permit C-572-2 as follows:

- All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320]

Section 5.5.5 requires that for emissions source testing performed pursuant to Section 6.3.1 for the purpose of determining compliance with an applicable standard or numerical limitation of this rule, the arithmetic average of three (3) 30-consecutive-minute test runs shall apply. If two (2) of three (3) runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. Therefore, the following condition will be listed on permit C-572-2 as follows:

- For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are

above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320]

Section 6.1, Recordkeeping

Section 6.1 requires that the records required by Sections 6.1.1 through 6.1.4 shall be maintained for five calendar years and shall be made available to the APCO upon request. Failure to maintain records or information contained in the records that demonstrate noncompliance with the applicable requirements of this rule shall constitute a violation of this rule.

The following condition will be listed on permit C-572-2 as a mechanism to ensure continued compliance:

- All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320, and 40 CFR 60.48c(i)]

Section 6.1.2 requires that the operator of a unit subject to Section 5.2 shall record the amount of fuel use at least on a monthly basis. Since the unit is not subject to the low use requirements listed in Section 5.2, it is not subject to Section 6.1.2 requirements.

Section 6.1.3 requires that the operator of a unit subject to Section 5.2.1 or 6.3.1 shall maintain records to verify that the required tune-up and the required monitoring of the operational characteristics have been performed. The unit is not subject to Section 6.1.3. Therefore, the requirements of this section do not apply to this unit.

Section 6.1.4 requires that the operator of a unit with startup or shutdown provisions keep records of the duration of the startup or shutdowns. The unit does not require startup and shutdown provisions, thus, the requirements of this section do not apply to this unit.

Section 6.2 Test Methods

Section 6.2 identifies the following test methods as District-approved source testing methods for the pollutants listed:

Pollutant	Units	Test Method Required
NOx	ppmv	EPA Method 7E or ARB Method 100
NOx	lb/MMBtu	EPA Method 19
CO	ppmv	EPA Method 10 or ARB Method 100
Stack Gas O ₂	%	EPA Method 3 or 3A, or ARB Method 100
Stack Gas Velocities	ft/min	EPA Method 2
Stack Gas Moisture Content	%	EPA Method 4

The following conditions will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320]
- CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320]
- Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320]

Section 6.3, Compliance Testing

Section 6.3.1 requires that these units be tested to determine compliance with the applicable requirements of section 5.1 not less than once every 12 months. Upon demonstrating compliance on two consecutive compliance source tests, the following source test may be deferred for up to thirty-six months.

The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- Source testing to measure NOx and CO emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test

demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306 and 4320]

Section 6.4, Emission Control Plan (ECP)

Section 6.4.1 requires that the operator of any unit shall submit to the APCO for approval an Emissions Control Plan according to the compliance schedule in Section 7.0 of District Rule 4320.

The proposed unit will be in compliance with the NO_x emissions limits listed in Table 1 of Section 5.1 and the periodic monitoring and source testing requirements required by this rule. The unit is not currently subject to the Tier 2 emission limits listed in Table 2 of Section 5.1 and does not need to fully comply with the applicable emission limits listed in Table 2 until 2023 or 2029. Therefore, the facility will need to submit an emission control plan by May 1, 2022, or by May 1, 2028 (depending on which compliance schedule the fall under) describing how this boiler will comply with the emission limits in Table 2. The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with this section.

- The owner or operator of a boiler subject to the Tier 2 emission requirements of District Rules 4306 and 4320 shall submit to the APCO an emission control plan pursuant to Section 6.4 of each rule, and shall comply with all other applicable deadlines in Section 7.0 of these rules. [District Rules 4306 and 4320]

Section 7.0, Compliance Schedule

Section 7.0 indicates that an operator must be in compliance with both the ATC deadline and compliance deadlines listed in Table 1 of Section 5.2. As demonstrated in Section 6.4, the aforementioned condition will serve as a mechanism to ensure compliance.

Conclusion

Conditions are incorporated into the permit as a mechanism to ensure compliance with each section of this rule. Therefore, compliance with District Rule 4306 requirements is expected.

17. District Rule 4320 – Advanced Emission Reduction Options for Boilers, Steam Generators, and Process Heaters Greater than 5.0 MMBtu/hr

This rule limits NO_x, CO, SO₂ and PM₁₀ emissions from boilers, steam generators and process heaters rated greater than 5 MMBtu/hr. This rule

also provides a compliance option of payment of fees in proportion to the actual amount of NOx emitted over the previous year.

This rule was amended on December 17, 2020, but the rule amendments have not been incorporated into the SIP. The amended rule is as stringent as the SIP approved version of the rule that was adopted on October 16, 2008.

The boiler listed under permit C-572-2 is rated at 12.2 MMBtu/hr heat input and is therefore subject to this rule.

Section 4.2 NOx Emission Limits When Fired On Liquid Fuel

Section 4.2 states that the requirements of Sections 5.2 shall not apply to a unit when burning any fuel other than California PUC quality natural gas during California PUC quality natural gas curtailment provided all of the following conditions are met:

- 4.2.1 Fuels other than California PUC quality natural gas are burned no more than 168 cumulative hours in a calendar year plus 48 hours per calendar year for equipment testing, as limited by Permit to Operate.
- 4.2.2 NOx emission shall not exceed 150 ppmv or 0.215 lb/MMBtu. Demonstration of compliance with this limit shall be made by either source testing, continuous emission monitoring system (CEMS), an APCO approved Alternate Monitoring System, or an APCO approved portable NOx analyzer.

The unit's permit does not contain any provisions for natural gas curtailment; therefore, this section does not apply.

Section 5.1 NOx Emission Limits

Section 5.1 states that an operator of a unit subject to this rule shall comply with all applicable requirements of the rule and one of the following, on a unit-by-unit basis:

- 5.1.1 Operate the unit to comply with the emission limits specified in Sections 5.2 and 5.4; or
- 5.1.2 Pay an annual emissions fee to the District as specified in Section 5.3 and comply with the control requirements specified in Section 5.4; or
- 5.1.3 Comply with the applicable Low-use Unit requirements of Section 5.5.

On and after the indicated Compliance Deadline, units shall not be operated in a manner which exceeds the applicable NOx emissions limit specified in Table 1 (until December 31, 2023) and Table 2 (on and after December 31, 2023). Also, units shall not be operated in a manner to which exceeds a carbon monoxide (CO) emissions limit of 400 ppmv.

Unit C-572-2 complies with the NOx and CO emissions limits specified in Section 5.2 of the rule which are summarized in the following table:

Table 1: Tier 1, Rule 4320 Emissions Limits		
Category	Operated on gaseous fuel	
	NO_x Limit	CO Limit
A. Units with a total rated heat input > 5.0 MMBtu/hr to ≤ 20.0 MMBtu/hr, except for Categories C through G units	a) Standard Schedule 9 ppmv or 0.011 lb/MMBtu; or	400 ppmv
	b) Enhanced Schedule 6 ppmv or 0.007 lb/MMBtu	

NOx and CO limits of unit C-572-2 are 9 ppmv @ 3% O₂ and 115 ppmv @ 3% O₂, respectively. Therefore, compliance with the emissions limits of Section 5.2 Table 1 of District Rule 4320 is expected.

The following condition will be included on permit C-572-2 as a mechanism to ensure compliance with the NOx and CO requirements of this rule:

- Emissions from the natural gas-fired unit shall not exceed any of the following limits: 9 ppmvd NOx @ 3% O₂ or 0.011 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, 115 ppmvd CO @ 3% O₂ or 0.084 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320]

Section 5.3 Annual Fee Calculation

Section 5.3.1 states that on and after January 1, 2010, an operator with units that will comply with the requirements of Section 5.1.2 in lieu of complying with Section 5.2 Table 1 shall pay a total annual fee to the District based on the total NOx emissions from those units.

Since unit C-572-2 will meet the emissions limits of Section 5.2 Table 1, the annual fee requirements are not applicable at the time of issuance for the ATCs.

Section 5.4 Particulate Matter Control Requirements

Section 5.4.1 states that to limit particulate matter emissions, an operator shall comply with one of the options listed in the rule.

Section 5.4.1.1 provides option for the operator to comply with the rule by firing the unit exclusively on PUC-quality gas, commercial propane, butane, or liquefied petroleum gas, or a combination of such gases.

Section 5.4.1.2 provides option for the operator to comply with the rule by limiting the fuel sulfur content to no more than five (5) grains of total sulfur per hundred (100) standard cubic feet.

Section 5.4.1.3 provides option for the operator to comply with the rule by installing and properly operating an emissions control system that reduces SO₂ emissions by at least 95% by weight; or limit exhaust SO₂ to less than or equal to 9 ppmv corrected to 3 % O₂.

Unit C-572-2 will be fired exclusively on PUC-regulated natural gas. Therefore, compliance with this section of the rule is expected and the following condition will be included on permit C-572-2:

- The unit shall only be fired on PUC-regulated natural gas. [District Rules 2201 and 4320]

Section 5.4.2 states that Liquid fuel shall be used only during PUC quality natural gas curtailment periods, provided the requirements of Sections 4.2 and 6.1.5 are met and the fuel contains no more than 15 ppm sulfur, as determined by the test method specified in Section 6.2. Since unit C-572-2 only fired on natural gas, this section does not apply.

Section 5.5 Low Use

The subject boilers are not low use units and therefore the requirements of Section 5.5 do not apply.

Section 5.6 Startup and Shutdown Provisions

Section 5.6 states that on and after the full compliance deadline in Section 5.0, the applicable emission limits of Sections 5.2 Table 1, Table 2, and 5.5.2 shall not apply during start-up or shutdown, provided an operator complies with the requirements specified in Sections 5.6.1 through 5.6.5. Sections 5.6.1 through 5.6.5 require the following:

1. The duration of each startup or shutdown must not exceed two hours per event, unless the APCO approves a larger allowable startup or shutdown duration.
2. The emission control system must be in operation and emission be minimized insofar as technologically feasible during startup and shutdown.

The facility does not have startup or shutdown provisions; therefore, this section does not apply.

Section 5.7 Monitoring Provisions

Section 5.7.1 requires that permit units subject to District Rule 4320, Section 5.2 emissions limits shall either install and maintain Continuous Emission Monitoring (CEM) equipment for NO_x, CO and O₂, or implement APCO-approved alternate monitoring.

The applicant has proposed to use the pre-approved alternate monitoring scheme A (pursuant to District Policy SSP-1105, Alternate Monitoring), which requires that monitoring of NO_x, CO, and O₂ exhaust concentrations shall be conducted at least once per month (in which a source test is not performed) using a portable analyzer. The following conditions will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the alternate monitoring plan:

- The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month thereafter using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless it has been performed within the last month. [District Rules 2201, 4305, 4306 and 4320]
- If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations

are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320]

- All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320]
- The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range [District Rules 4305, 4306 and 4320]

Since unit C-572-2 is not subject to the requirements listed in Section 5.5.1 or 5.5.2, it is not subject to Section 5.7.2 and 5.7.3 requirements.

Section 5.7.4 allows units operated at seasonal sources and subject to 40 CFR 60 Subpart Db to install a parametric monitoring system in lieu of a CEMS. Unit C-572-2 is not operated at a seasonal source. Therefore, this unit is not subject to 5.7.4 requirements.

Section 5.7.6 outlines requirements for monitoring SO_x emissions. Section 5.7.6.1 states that operators complying with Sections 5.4.1.1 or 5.4.1.2 shall provide an annual fuel analysis to the District unless a more frequent sampling and reporting period is included in the Permit to Operate. Sulfur analysis shall be performed in accordance with the test methods in Section 6.2.

Section 5.7.6.2 states that operators complying with Section 5.4.1.3 by installing and operating a control device with 95% SO_x reduction shall propose the key system operating parameters and frequency of the monitoring and recording. The monitoring option proposed shall be submitted for approval by the APCO.

Section 5.7.6.3 that operators complying with Section 5.4.1.3 shall perform an annual source test unless a more frequent sampling and reporting period is included in the Permit to Operate. Source tests shall be performed in accordance with the test methods in Section 6.2.

The facility has proposed to show compliance using the requirement in sections 5.4.1.1, firing exclusively on natural gas. The following conditions will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- The unit shall only be fired on PUC-regulated natural gas. [District Rules 2201 and 4320]
- Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320]
- Valid purchase contracts, supplier certifications, tariff sheets, or transportation contracts may be used to satisfy the fuel sulfur content analysis, provided they establish the fuel sulfur concentration and higher heating value. [District Rule 4320]

Section 5.8 Compliance Determination

Section 5.8.1 requires that the operator of any unit shall have the option of complying with either the applicable heat input (lb/MMBtu) emission limits or the concentration (ppmv) emission limits specified in Section 5.2. The emission limits selected to demonstrate compliance shall be specified in the source test proposal pursuant to Rule 1081 (Source Sampling). The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320]

Section 5.8.2 requires that all emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. Unless otherwise specified in the Permit to Operate, no determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0. The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4320. [District Rules 4305, 4306, and 4320]

Section 5.8.4 requires that for emissions monitoring pursuant to Section 5.7.1, and 6.3.1 using a portable NOx analyzer as part of an APCO approved Alternate Emissions Monitoring System, emission readings shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15-consecutive-minute sample reading or by taking at least five (5) readings evenly spaced out over the 15-consecutive-minute period. The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320]

Section 5.8.5 requires that for emissions source testing performed pursuant to Section 6.3.1 for the purpose of determining compliance with an applicable standard or numerical limitation of this rule, the arithmetic average of three (3) 30-consecutive-minute test runs shall apply. If two (2) of three (3) runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320]

Section 6.1 Recordkeeping

Section 6.1 requires that the records required by Sections 6.1.1 through 6.1.5 shall be maintained for five calendar years and shall be made available to the APCO and EPA upon request. Failure to maintain records or information contained in the records that demonstrate noncompliance with the applicable requirements of this rule shall constitute a violation of this rule.

The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320, and 40 CFR 60.48c(i)]

Section 6.1.2 requires that the operator of any unit subject to Section 5.5 shall record the amount of fuel use at least on a monthly basis for each unit. Since the unit is not subject to the requirements listed in Section 5.5, it is not subject to Section 6.1.2 requirements.

Section 6.1.3 requires that the operator of any unit subject to Section 5.5.1 or 6.3.1 shall maintain records to verify that the required tune-up and the required monitoring of the operational characteristics of the unit have been performed. The unit is not subject to Section 6.1.3. Therefore, the requirements of this section do not apply.

Section 6.1.4 requires that the operator of a unit with startup or shutdown provisions keep records of the duration of the startup or shutdowns. The unit is not subject to Section 6.1.4. Therefore, the requirements of this section do not apply.

Section 6.1.5 requires that the operator of any unit fired on liquid fuel during PUC-quality natural gas curtailment periods pursuant to Section 5.4.2 shall record the sulfur content of the fuel, amount of fuel used, and duration of the natural gas curtailment period. Unit C-572-2 is not authorized to fire on liquid fuel; therefore, this section does not apply.

Section 6.2 Test Methods

Section 6.2 identifies the following test methods as District-approved source testing methods for the pollutants listed:

Pollutant	Units	Test Method Required
NOx	ppmv	EPA Method 7E or ARB Method 100
NOx	lb/MMBtu	EPA Method 19
CO	ppmv	EPA Method 10 or ARB Method 100
Stack Gas O2	%	EPA Method 3 or 3A, or ARB Method 100
Stack Gas Velocities	ft/min	EPA Method 2
Stack Gas Moisture Content	%	EPA Method 4
Sulfur Content of Liquid Fuel	-	ASTM D5453

The following conditions will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320]
- CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320]
- Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320]

Section 6.3 Compliance Testing

Section 6.3.1 requires that the unit be source tested to determine compliance with the applicable requirements of section 5.2 not less than once every 12 months. Upon demonstrating compliance on two consecutive compliance source tests, the following source test may be deferred for up to thirty-six months.

The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with the requirements of the rule:

- Source testing to measure NOx and CO emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive

annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306 and 4320]

Sections 6.3.2.1 through 6.3.2.7 address the requirements of group testing which is not proposed in this project. Therefore, these sections are not applicable.

Section 6.4, Emission Control Plan (ECP)

Section 6.4.1 requires that the operator of any unit shall submit to the APCO for approval an Emissions Control Plan according to the compliance schedule in Section 7.0 of District Rule 4320.

The unit is in compliance with the emissions limits listed in Table 1, Section 5.2 of this rule and with periodic monitoring and source testing requirements. The unit will be required to meet the emissions limit in Table 2, by December 31, 2023. Additionally, the operator must submit an Emission Control Plan, as listed in Section 6.4 of District Rule 4320 by May 1, 2022. The following condition will be listed on permit C-572-2 as a mechanism to ensure compliance with this section.

- The owner or operator of a boiler subject to the Tier 2 emission requirements of District Rules 4306 and 4320 shall submit to the APCO an emission control plan pursuant to Section 6.4 of each rule, and shall comply with all other applicable deadlines in Section 7.0 of these rules. [District Rules 4306 and 4320]

Section 7.0, Compliance Schedule

Section 7.0 indicates that an operator must be in compliance with both the ATC deadline and compliance deadlines listed in Table 1 of Section 5.2. As demonstrated in Section 6.4, the aforementioned condition will serve as a mechanism to ensure compliance.

Conclusion

Conditions are incorporated into the permit as a mechanism to ensure compliance with each section of this rule. Therefore, compliance with District Rule 4320 requirements is expected.

18. District Rule 4601 – Architectural Coatings

This rule limits the emissions of VOC's from architectural coatings. Architectural coatings are required to comply with the coating VOC limits listed in Tables 1 and 2 of Section 5.0 of the amended rule. In addition, this rule specifies architectural coatings storage, cleanup, and labeling requirements.

This rule was amended on April 16, 2020, but the rule amendments have not been incorporated into the SIP. The amended rule is as stringent as the SIP approved version of the rule that was adopted on December 17, 2009.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	23, 24, and 25

19. District Rule 4694 – Wine Fermentation and Storage Tanks

The purpose of this rule is to reduce emissions of volatile organic compounds (VOC) from the fermentation and bulk storage of wine, or achieve equivalent reductions from alternative emission sources. This rule is applicable to all facilities with fermentation emissions in excess of 10 tons-VOC/year. The storage tank provisions of this rule apply to all tanks with capacity in excess of 5,000 gallons.

Pursuant to Section 4.1 of this rule, wineries with baseline fermentation emissions less than 10 tons/year or with a potential to emit less than 10 tons/year (or 20,000 lbs/year) are exempt from all of the requirements of District Rule 4694 except for the recordkeeping requirements of Section 6.4.4. Baseline fermentation emissions (BFE) are the average annual uncontrolled fermentation emissions for the three previous consecutive years of fermentation activities.

It was previously determined under project C-1173063, that the BFE was below 10 tons/year (or 20,000 lbs/year) and confirmed most recently under the facility's emission inventory submittal. Therefore, the Section 4.1 exemption of Rule 4694 is applicable and only the requirement of Section 6.4.4 is applicable to this facility.

The following conditions will be included on each wine tank Permit to Operate (C-572-4 through -107):

- Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury – Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
- All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

Compliance is expected with this Rule.

20. District Rules 8011, 8021, 8031, 8041, 8051, 8016, and 8071 – SJVUAPCD Regulation VIII – Fugitive Dust (PM10)

These regulations contain requirements for the control of fugitive dust. These requirements apply to various sources, including construction, demolition, excavation, extraction, mining activities, outdoor storage piles, paved and unpaved roads.

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	29-34

21. 40 CFR Part 60 Subpart Dc – Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units

This subpart applies to steam generating units that are constructed, reconstructed, or modified after 6/9/89 and have a maximum design heat input capacity of 100 MMBtu/hr or less, but greater than or equal to 10 MMBtu/hr. Subpart Dc has standards for SO_x and PM₁₀ emissions.

The boiler under permit C-572-2 is subject to the requirements in this subpart. The requirements are discussed in the following section:

60.42c – Standards for Sulfur Dioxide

Since coal is not combusted in the boiler, the requirements of this section are not applicable.

60.43c – Standards for Particulate Matter

The boiler is not fired on coal, combusts mixtures of coal with other fuels, combusts wood, combusts mixtures of wood with other fuels, or oil; therefore this unit is not subject to the requirements of this section.

60.44c – Compliance and Performance Tests Methods and Procedures for Sulfur Dioxide

The boiler is not subject to the sulfur dioxide requirements of this subpart. Therefore, this section does not apply.

60.45c – Compliance and Performance Test Methods and Procedures for Particulate Matter

The boiler is not subject to the particulate matter requirements of this subpart. Therefore, this section does not apply.

60.46c – Emission Monitoring for Sulfur Dioxide

The boiler is not subject to the sulfur dioxide requirements of this subpart. Therefore, this section does not apply.

60.47c – Emission Monitoring for Particulate Matter

The boiler is not subject to the particulate matter requirements of this subpart. Therefore, this section does not apply.

60.48c – Reporting and Recordkeeping Requirements

Section 60.48c (a) states that the owner or operator of each affected facility shall submit notification of the date of construction or reconstruction, anticipated startup, and actual startup, as provided by §60.7 of this part. This notification shall include:

- (1) The design heat input capacity of the affected facility and identification of fuels to be combusted in the affected facility.

The design heat input capacity and type of fuel combusted is listed in the equipment description or in the permit. Therefore, no additional conditions are necessary.

- (2) If applicable, a copy of any federally enforceable requirement that limits the annual capacity factor for any fuel mixture of fuels under §60.42c or §40.43c.

This requirement is not applicable since the unit is not subject to §60.42c or §60.43c.

- (3) The annual capacity factor at which the owner or operator anticipates operating the affected facility based on all fuels fired and based on each individual fuel fired.

The facility has not proposed an annual capacity factor; therefore one will not be required.

- (4) Notification if an emerging technology will be used for controlling SO₂ emissions. The Administrator will examine the description of the control device and will determine whether the technology qualifies as an emerging technology. In making this determination, the Administrator may require the owner or operator of the affected facility to submit additional information concerning the control device. The affected facility is subject to the provisions of §60.42c(a) or (b)(1), unless and until this determination is made by the Administrator

This requirement is not applicable since the unit will not be equipped with emerging technology used to control SO₂ emissions.

Section 60.48c(g)(2), the owner or operator of an affected facility that combusts only natural gas, wood, fuels using fuel certification in §60.48c(f) to demonstrate compliance with the SO₂ standard, fuels not subject to an emissions standard (excluding opacity), or a mixture of these fuels may elect to record and maintain records of the amount of each fuel combusted during each calendar month. The following conditions in permit C-572-2 will serve as a mechanism to ensure compliance:

- A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of fuel combusted in the unit shall be installed, utilized and maintained. [District Rule 2201 and 40 CFR 60.48c(g)]
- Permittee shall maintain daily records of the type and quantity of fuel combusted by the boiler. [District Rule 2201 and 40 CFR 60.48c(g)]

Section 60.48c(i) states that all records required under this section shall be maintained by the owner or operator of the affected facility for a period of two years following the date of such record. The following

condition in permit C-572-2 will serve as a mechanism to ensure compliance with this section:

- All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306 and 4320, and 40 CFR 60.48c(i)]

Compliance is expected with this regulation.

22. 40 CFR 61, Subpart M – National Emission Standards for Asbestos

There are applicable requirements from the National Emissions Standards for Hazardous Air Pollutants that apply to all sources in general. These requirements pertain to asbestos removal and disposal from renovated or demolished structures.

The following condition on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Condition
C-572-0-0	35

23. 40 CFR 82, Subparts B and F – Stratospheric Ozone

There are applicable requirements from Title VI of the CAA (Stratospheric Ozone) that apply to all sources in general. These requirements pertain to air conditioners, chillers and refrigerators located at a Title V source and to disposal of air conditioners or maintenance/recharging/disposal of motor vehicle air conditioners (MVAC).

The following conditions on the draft permit will serve as a mechanism to ensure compliance with the requirements of this rule:

Permit Unit	Permit Conditions
C-572-0-0	27 and 28

X. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

A. Requirements Addressed by Model General Permit Templates

The applicant does not propose to use any model general permit templates.

B. Requirements not Addressed by Model General Permit Templates

The applicant has not requested permit shield for any requirements not addressed by model general permit templates.

XI. PERMIT CONDITIONS

See Attachment C - Draft Initial Title V Operating Permit.

ATTACHMENTS

- A. Detailed Facility Report
- B. Current District Permits to Operate
- C. Draft Initial Title V Operating Permit

Attachment A

Detailed Facility Printout

Detailed Facility Report
For Facility=572
Sorted by Facility Name and Permit Number

GIBSON WINE COMPANY 1720 ACADEMY AVE SANGER, CA 93657	FAC # STATUS: TELEPHONE:	C 572 A 2098752505	TYPE: TOXIC ID:	TitleV 53335	EXPIRE ON: AREA: INSP. DATE:	07/31/2020 7 / 11/21
--------------------------------------------------------------------	--------------------------------	-----------------------------------------------	--------------------	-------------------------------	------------------------------------	----------------------------

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-1-0	17 MMBTU/HR BOILER	3020-02 H	1	1,238.00	1,238.00	D	17 MMBTU/HR NATURAL GAS-FIRED BABCOCK & WILCOX STEAM GENERATING BOILER, MODEL #HI2646, SERIAL #14992, FIRED WITH #2 FUEL OIL AS BACK-UP.
C-572-2-3	12,600 KBTU/HR	3020-02 G	1	980.00	980.00	A	12.2 MMBTU/HR RAY MODEL 300 EB6012 NATURAL GAS-FIRED BOILER WITH A POWER FLAME MODEL NVC7-G-30 ULTRA LOW NOX BURNER
C-572-3-0	6.0 MBTU BOILER	3020-02 G	1	980.00	980.00	D	6.0 MBTU BOILER
C-572-4-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-101) WITH PRESSURE/VACUUM VALVE
C-572-5-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-102) WITH PRESSURE/VACUUM VALVE
C-572-6-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-103) WITH PRESSURE/VACUUM VALVE
C-572-7-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-104) WITH PRESSURE/VACUUM VALVE
C-572-8-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-105) WITH PRESSURE/VACUUM VALVE
C-572-9-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-106) WITH PRESSURE/VACUUM VALVE
C-572-10-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-107) WITH PRESSURE/VACUUM VALVE
C-572-11-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-108) WITH PRESSURE/VACUUM VALVE
C-572-12-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-109) WITH PRESSURE/VACUUM VALVE
C-572-13-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-110) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-14-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-111) WITH PRESSURE/VACUUM VALVE
C-572-15-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-112) WITH PRESSURE/VACUUM VALVE
C-572-16-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-113) WITH PRESSURE/VACUUM VALVE
C-572-17-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-114) WITH PRESSURE/VACUUM VALVE
C-572-18-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-115) WITH PRESSURE/VACUUM VALVE
C-572-19-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-116) WITH PRESSURE/VACUUM VALVE
C-572-20-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-117) WITH PRESSURE/VACUUM VALVE
C-572-21-0	131,883 gal	3020-05 E	1	296.00	296.00	A	131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-118) WITH PRESSURE/VACUUM VALVE
C-572-22-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-131) WITH PRESSURE/VACUUM VALVE
C-572-23-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-132) WITH PRESSURE/VACUUM VALVE
C-572-24-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-133) WITH PRESSURE/VACUUM VALVE
C-572-25-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-134) WITH PRESSURE/VACUUM VALVE
C-572-26-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-135) WITH PRESSURE/VACUUM VALVE
C-572-27-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-136) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-28-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-137) WITH PRESSURE/VACUUM VALVE
C-572-29-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-138) WITH PRESSURE/VACUUM VALVE
C-572-30-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-139) WITH PRESSURE/VACUUM VALVE
C-572-31-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-140) WITH PRESSURE/VACUUM VALVE
C-572-32-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-141) WITH PRESSURE/VACUUM VALVE
C-572-33-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-142) WITH PRESSURE/VACUUM VALVE
C-572-34-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-143) WITH PRESSURE/VACUUM VALVE
C-572-35-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-144) WITH PRESSURE/VACUUM VALVE
C-572-36-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-145) WITH PRESSURE/VACUUM VALVE
C-572-37-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-146) WITH PRESSURE/VACUUM VALVE
C-572-38-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-147) WITH PRESSURE/VACUUM VALVE
C-572-39-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-148) WITH PRESSURE/VACUUM VALVE
C-572-40-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-149) WITH PRESSURE/VACUUM VALVE
C-572-41-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-150) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-42-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-151) WITH PRESSURE/VACUUM VALVE
C-572-43-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-152) WITH PRESSURE/VACUUM VALVE
C-572-44-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-153) WITH PRESSURE/VACUUM VALVE
C-572-45-0	22,989 gal	3020-05 C	1	165.00	165.00	A	22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-154 WITH PRESSURE/VACUUM VALVE
C-572-46-0	54,855 gal	3020-05 D	1	223.00	223.00	A	54,855 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-155) WITH PRESSURE/VACUUM VALVE
C-572-47-0	106,660 gal	3020-05 E	1	296.00	296.00	A	106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-156) WITH PRESSURE/VACUUM VALVE
C-572-48-0	106,660 gal	3020-05 E	1	296.00	296.00	A	106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-157) WITH PRESSURE/VACUUM VALVE
C-572-49-0	54,855 gal	3020-05 D	1	223.00	223.00	A	54,855 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-158) WITH PRESSURE/VACUUM VALVE
C-572-50-0	106,660 gal	3020-05 E	1	296.00	296.00	A	106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-159) WITH PRESSURE/VACUUM VALVE
C-572-51-0	106,660 gal	3020-05 E	1	296.00	296.00	A	106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-160) WITH PRESSURE/VACUUM VALVE
C-572-52-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-201) WITH PRESSURE/VACUUM VALVE
C-572-53-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-202) WITH PRESSURE/VACUUM VALVE
C-572-54-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-203) WITH PRESSURE/VACUUM VALVE
C-572-55-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-204) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-56-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-351) WITH PRESSURE/VACUUM VALVE
C-572-57-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-352) WITH PRESSURE/VACUUM VALVE
C-572-58-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-353) WITH PRESSURE/VACUUM VALVE
C-572-59-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-354) WITH PRESSURE/VACUUM VALVE
C-572-60-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-355) WITH PRESSURE/VACUUM VALVE
C-572-61-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-356) WITH PRESSURE/VACUUM VALVE
C-572-62-0	350,750 gal	3020-05 E	1	296.00	296.00	A	350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-357) WITH PRESSURE/VACUUM VALVE
C-572-63-0	25,400 gal	3020-05 C	1	165.00	165.00	A	25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-1) WITH PRESSURE/VACUUM VALVE
C-572-64-0	25,400 gal	3020-05 C	1	165.00	165.00	A	25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-2) WITH PRESSURE/VACUUM VALVE
C-572-65-0	25,400 gal	3020-05 C	1	165.00	165.00	A	25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-3) WITH PRESSURE/VACUUM VALVE
C-572-66-0	25,400 gal	3020-05 C	1	165.00	165.00	A	25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-4) WITH PRESSURE/VACUUM VALVE
C-572-67-0	549 gal	3020-05 A	1	91.00	91.00	A	549 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-5) WITH PRESSURE/VACUUM VALVE
C-572-68-0	270 gal	3020-05 A	1	91.00	91.00	A	270 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-6) WITH PRESSURE/VACUUM VALVE
C-572-69-0	12,480 gal	3020-05 B	1	113.00	113.00	A	12,480 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-7) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-70-0	12,480 gal	3020-05 B	1	113.00	113.00	A	12,480 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-8) WITH PRESSURE/VACUUM VALVE
C-572-71-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-401) WITH PRESSURE/VACUUM VALVE
C-572-72-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-402) WITH PRESSURE/VACUUM VALVE
C-572-73-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-403) WITH PRESSURE/VACUUM VALVE
C-572-74-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-404) WITH PRESSURE/VACUUM VALVE
C-572-75-0	6,553 gal	3020-05 B	1	113.00	113.00	A	6,553 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-405) WITH PRESSURE/VACUUM VALVE
C-572-76-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-406) WITH PRESSURE/VACUUM VALVE
C-572-77-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-407) WITH PRESSURE/VACUUM VALVE
C-572-78-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-408) WITH PRESSURE/VACUUM VALVE
C-572-79-0	23,099 GAL	3020-05 C	1	165.00	165.00	A	23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-409) WITH PRESSURE/VACUUM VALVE
C-572-80-0	11,106 gal	3020-05 B	1	113.00	113.00	A	11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-410) WITH PRESSURE/VACUUM VALVE
C-572-81-0	11,106 gal	3020-05 B	1	113.00	113.00	A	11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-411) WITH PRESSURE/VACUUM VALVE
C-572-82-0	11,106 gal	3020-05 B	1	113.00	113.00	A	11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-412) WITH PRESSURE/VACUUM VALVE
C-572-83-0	5,503 gal	3020-05 B	1	113.00	113.00	A	5,503 STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-413) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-84-0	5,503 gal	3020-05 B	1	113.00	113.00	A	5,503 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-415) WITH PRESSURE/VACUUM VALVE
C-572-85-0	5,517 gal	3020-05 B	1	113.00	113.00	A	5,517 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-1) WITH PRESSURE/VACUUM VALVE
C-572-86-0	6,601 gal	3020-05 B	1	113.00	113.00	A	6,601 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-2) WITH PRESSURE/VACUUM VALVE
C-572-87-0	2,086 gal	3020-05 A	1	91.00	91.00	A	2,086 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-3) WITH PRESSURE/VACUUM VALVE
C-572-88-0	2,103 gal	3020-05 A	1	91.00	91.00	A	2,103 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-4) WITH PRESSURE/VACUUM VALVE
C-572-89-0	5,489 gal	3020-05 B	1	113.00	113.00	A	5,489 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-5) WITH PRESSURE/VACUUM VALVE
C-572-90-0	5,489 gal	3020-05 B	1	113.00	113.00	A	5,489 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-6) WITH PRESSURE/VACUUM VALVE
C-572-91-0	2,434 gal	3020-05 A	1	91.00	91.00	A	2,434 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-7) WITH PRESSURE/VACUUM VALVE
C-572-92-0	11,348 gal	3020-05 B	1	113.00	113.00	A	11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-8) WITH PRESSURE/VACUUM VALVE
C-572-93-0	11,348 gal	3020-05 B	1	113.00	113.00	A	11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-9) WITH PRESSURE/VACUUM VALVE
C-572-94-0	11,348 gal	3020-05 B	1	113.00	113.00	A	11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-10) WITH PRESSURE/VACUUM VALVE
C-572-95-0	11,348 gal	3020-05 B	1	113.00	113.00	A	11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-11) WITH PRESSURE/VACUUM VALVE
C-572-96-0	11,348 gal	3020-05 B	1	113.00	113.00	A	11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-12) WITH PRESSURE/VACUUM VALVE
C-572-97-0	11,348 gal	3020-05 B	1	113.00	113.00	A	11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-13) WITH PRESSURE/VACUUM VALVE

Detailed Facility Report

For Facility=572

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-572-98-0	11,348 gal	3020-05 B	1	113.00	113.00	A	2,535 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-14) WITH PRESSURE/VACUUM VALVE
C-572-99-0	5,610 gal	3020-05 B	1	113.00	113.00	A	5,610 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-15) WITH PRESSURE/VACUUM VALVE
C-572-100-0	4,621 gal	3020-05 A	1	91.00	91.00	A	4,621 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-16) WITH PRESSURE/VACUUM VALVE
C-572-101-0	11,781 gal	3020-05 B	1	113.00	113.00	A	11,781 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-17) WITH PRESSURE/VACUUM VALVE
C-572-102-0	12,040 gal	3020-05 B	1	113.00	113.00	A	12,040 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-18) WITH PRESSURE/VACUUM VALVE
C-572-103-0	12,040 gal	3020-05 B	1	113.00	113.00	A	12,040 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-19) WITH PRESSURE/VACUUM VALVE
C-572-104-0	5,503 gal	3020-05 B	1	113.00	113.00	A	5,503 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-20) WITH PRESSURE/VACUUM VALVE
C-572-105-0	5,886 gal	3020-05 B	1	113.00	113.00	A	5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-21) WITH PRESSURE/VACUUM VALVE
C-572-106-0	5,886 gal	3020-05 B	1	113.00	113.00	A	5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-22) WITH PRESSURE/VACUUM VALVE
C-572-107-0	5,886 gal	3020-05 B	1	113.00	113.00	A	5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-23) WITH PRESSURE/VACUUM VALVE

Number of Facilities Reported: 1

Attachment B

Current District Permits to Operate

Permit to Operate

FACILITY: C-572

EXPIRATION DATE: 07/31/2020

LEGAL OWNER OR OPERATOR: GIBSON WINE COMPANY
MAILING ADDRESS: 1720 ACADEMY AVE
SANGER, CA 93657

FACILITY LOCATION: 1720 ACADEMY AVE
SANGER, CA 93657

FACILITY DESCRIPTION: WINERY

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Samir Sheikh
Executive Director / APCO

Brian Clements
Director of Permit Services

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-2-3

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12.2 MMBTU/HR RAY MODEL 300 EB6012 NATURAL GAS-FIRED BOILER WITH A POWER FLAME MODEL NVC7-G-30 ULTRA LOW NOX BURNER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
2. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of fuel combusted in the unit shall be installed, utilized and maintained. [District Rule s 2201 and 40 CFR 60.48 (c)(g)]
3. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
5. The unit shall only be fired on PUC-regulated natural gas. [District Rule 2201]
6. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
7. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 9 ppmvd NO_x @ 3% O₂ or 0.011 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 115 ppmvd CO @ 3% O₂ or 0.084 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306 and 4320]
8. Source testing to measure NO_x and CO emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306 and 4320]
9. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320]
10. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306 and 4320]
11. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320]
12. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081]
13. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

14. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320]
15. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320]
16. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081]
17. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month thereafter using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless it has been performed within the last month. [District Rules 2201, 4305, 4306 and 4320]
18. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320]
19. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320]
20. Permittee shall maintain daily records of the type and quantity of fuel combusted by the boiler. [District Rules 2201 and 40 CFR 60.48 (c)(g)]
21. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range [District Rules 4305, 4306 and 4320]
22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306 and 4320]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-4-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-101) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-5-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-102) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-6-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-103) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-7-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-104) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-8-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-105) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-9-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-106) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-10-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-107) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-11-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-108) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-12-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-109) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-13-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-110) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-14-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-111) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-15-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-112) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-16-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-113) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-17-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-114) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-18-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-115) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-19-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-116) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-20-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-117) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-21-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-118) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-22-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-131) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-23-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-132) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-24-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-133) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-25-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-134) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-26-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-135) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-27-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-136) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-28-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-137) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-29-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-138) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-30-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-139) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-31-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-140) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-32-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-141) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-33-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-142) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-34-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-143) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-35-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-144) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-36-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-145) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-37-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-146) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-38-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-147) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-39-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-148) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-40-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-149) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-41-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-150) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-42-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-151) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-43-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-152) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-44-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-153) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-45-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-154 WITH PRESSURE/VACUUM VALVE)

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-46-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

54,855 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-155) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-47-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-156) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-48-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-157) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-49-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

54,855 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-158) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-50-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-159) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-51-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-160) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-52-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-201) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-53-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-202) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-54-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-203) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-55-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-204) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-56-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-351) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-57-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-352) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-58-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-353) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-59-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-354) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-60-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-355) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-61-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-356) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-62-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-357) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-63-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-1) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-64-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-2) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-65-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-3) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-66-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-4) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-67-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

549 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-5) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-68-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

270 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-6) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-69-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,480 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-7) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-70-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,480 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-8) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-71-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-401) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-72-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-402) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-73-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-403) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-74-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-404) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-75-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

6,553 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-405) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-76-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-406) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-77-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-407) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-78-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-408) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-79-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-409) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-80-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-410) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-81-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-411) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-82-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-412) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-83-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,503 STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-413) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-84-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,503 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-415) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-85-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,517 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-1) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-86-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

6,601 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-2) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-87-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,086 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-3) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-88-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,103 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-4) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-89-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,489 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-5) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-90-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,489 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-6) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-91-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,434 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-7) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-92-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-8) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-93-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-9) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-94-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-10) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-95-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-11) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-96-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-12) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-97-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-13) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-98-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,535 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-14) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-99-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,610 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-15) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-100-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

4,621 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-16) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-101-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,781 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-17) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-102-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,040 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-18) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-103-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,040 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-19) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-104-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,503 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-20) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-105-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-21) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-106-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-22) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-107-0

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-23) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

Attachment C

Draft Initial Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: C-572-0-0

EXPIRATION DATE: 07/31/2020

FACILITY-WIDE REQUIREMENTS

1. {4362} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. {4363} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/18/14). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

10. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (8/15/19). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

22. {4383} No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table 1 or Table 2 for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials subject to Rule 4601 (4/16/20) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (4/16/20). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
30. {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
31. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
32. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
33. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit
34. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

35. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
36. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. {4400} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. {4401} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. The issuance date of this Initial Title V Permit is [MONTH, DAY, YEAR]. The reporting periods for the Report of Required Monitoring and the Annual Compliance Certification begin [MONTH, DAY] of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days of the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
42. {98} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
43. {3658} This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-2-5

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12.2 MMBTU/HR RAY MODEL 300 EB6012 NATURAL GAS-FIRED BOILER WITH A POWER FLAME-MODEL NVC7-G-30 ULTRA LOW NOX BURNER

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of fuel combusted in the unit shall be installed, utilized and maintained. [District Rule 2201 and 40 CFR 60.48 (c)(g)] Federally Enforceable Through Title V Permit
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. The unit shall only be fired on PUC-regulated natural gas. [District Rules 2201 and 4320] Federally Enforceable Through Title V Permit
5. Valid purchase contracts, supplier certifications, tariff sheets, or transportation contracts may be used to satisfy the fuel sulfur content analysis, provided they establish the fuel sulfur concentration and higher heating value. [District Rule 4320] Federally Enforceable Through Title V Permit
6. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit
7. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 9 ppmvd NO_x @ 3% O₂ or 0.011 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 115 ppmvd CO @ 3% O₂ or 0.084 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
8. Source testing to measure NO_x and CO emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
9. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
10. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
11. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
13. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
14. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
15. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
16. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
17. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month thereafter using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless it has been performed within the last month. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
18. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
19. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
20. Permittee shall maintain daily records of the type and quantity of fuel combusted by the boiler. [District Rule 2201 and 40 CFR 60.48 (c)(g)] Federally Enforceable Through Title V Permit
21. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320, and 40 CFR 60.48c(i)] Federally Enforceable Through Title V Permit

DRAFT

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. The owner or operator of a boiler subject to the Tier 2 emission requirements of District Rules 4306 and 4320 shall submit to the APCO an emission control plan pursuant to Section 6.4 of each rule, and shall comply with all other applicable deadlines in Section 7.0 of these rules. [District Rules 4306 and 4320]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-4-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-101) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-5-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-102) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-6-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-103) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-7-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-104) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-8-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-105) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-9-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-106) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-10-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-107) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-11-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-108) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-12-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-109) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-13-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-110) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-14-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-111) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-15-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-112) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-16-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-113) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-17-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-114) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-18-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-115) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-19-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-116) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-20-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-117) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-21-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

131,883 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-118) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-22-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-131) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-23-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-132) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-24-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-133) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-25-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-134) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-26-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-135) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-27-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-136) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-28-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-137) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-29-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-138) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-30-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-139) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-31-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-140) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-32-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-141) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-33-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-142) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-34-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-143) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-35-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-144) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-36-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-145) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-37-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-146) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-38-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-147) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-39-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-148) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-40-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-149) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-41-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-150) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-42-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-151) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-43-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-152) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-44-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-153) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-45-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

22,989 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-154 WITH PRESSURE/VACUUM VALVE)

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-46-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

54,855 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-155) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-47-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-156) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-48-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-157) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-49-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

54,855 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-158) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-50-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-159) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-51-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

106,660 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #FS-160) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-52-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-201) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-53-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-202) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-54-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-203) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-55-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-204) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-56-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-351) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-57-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-352) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-58-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-353) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-59-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-354) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-60-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-355) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-61-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-356) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-62-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

350,750 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-357) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-63-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-1) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-64-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-2) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-65-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-3) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-66-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

25,400 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-4) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-67-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

549 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-5) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-68-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

270 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-6) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-69-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,480 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-7) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-70-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,480 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #DSP-8) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-71-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-401) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-72-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-402) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-73-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-403) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-74-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-404) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-75-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

6,553 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-405) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-76-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-406) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-77-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-407) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-78-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-408) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-79-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

23,099 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-409) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-80-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-410) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-81-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-411) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-82-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,106 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-412) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-83-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,503 STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-413) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-84-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,503 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #S-415) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-85-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,517 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-1) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-86-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

6,601 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-2) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-87-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,086 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-3) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-88-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,103 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-4) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-89-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,489 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-5) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-90-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,489 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-6) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-91-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,434 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-7) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-92-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-8) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-93-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-9) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-94-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-10) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-95-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-11) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-96-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-12) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-97-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,348 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-13) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-98-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

2,535 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-14) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-99-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,610 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-15) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-100-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

4,621 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-16) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-101-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

11,781 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-17) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-102-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,040 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-18) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-103-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

12,040 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-19) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-104-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,503 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-20) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-105-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-21) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-106-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-22) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-572-107-1

EXPIRATION DATE: 07/31/2020

EQUIPMENT DESCRIPTION:

5,886 GALLON NOMINAL RED AND WHITE WINE INSULATED STAINLESS STEEL WINE FERMENTATION AND STORAGE TANK (TANK #B-23) WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694] Federally Enforceable Through Title V Permit
2. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.