

**NOTICE OF PUBLIC HEARING
BEFORE THE CENTRAL REGION HEARING BOARD
OF THE SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT**

NOTICE IS HEREBY GIVEN that a public hearing will be held on **Wednesday, May 18, 2022, at 10:00 AM** or as soon thereafter, as may be heard. Given the international COVID-19 pandemic, and consistent with public health recommendations and Assembly Bill 361, the meeting will be held via teleconference with **NO PHYSICAL LOCATION FOR PUBLIC ATTENDANCE**.

Members of the public wishing to participate should contact the Deputy Clerk to the Boards at (559) 230-6000 to obtain the log in number and correlating passcode.

Said Hearing will be on the proposed petitions from the following:

Company Name	Docket No.	Rules	Reason for Requested Relief
Vitro Flat Glass, LLC 3333 S. Peach Ave. Fresno, CA 93725	C-22-05S	2070 2201 2520 4101 4354 CH&SC 41701	Short variance to allow for continued glass manufacturing with excess visible emissions while the exhaust stream bypasses the scrubber and EP.

Said petitions will be on file at least ten days before the hearing. All interested persons may view said documents by contacting the Compliance Department of the Central Region Office. Any person wishing to submit any data, views, comments, or suggestions concerning the proposed variance petitions for consideration, may do so by submitting the information to the Central Region Office prior to the hearing.

For additional information, contact the District's Central Region Office at (559) 230-6000.

Michelle Franco
Deputy Clerk to the Boards
San Joaquin Valley Air Pollution Control District
Dated: May 5, 2022

<p align="center">Northern Region Office 4800 Enterprise Way Modesto, CA 95356-8718 (209) 557-6400 ♦ FAX (209) 557-6475</p>	<p align="center">Central Region Office 1990 East Gettysburg Avenue Fresno, CA 93726-0244 (559) 230-6000 ♦ FAX (559) 230-6062 www.valleyair.org</p>	<p align="center">Southern Region Office 34946 Flyover Court Bakersfield, CA 93308-9725 (661) 392-5500 ♦ FAX (661) 392-5585</p>
---	--	---