San Joaquin Valley Air Pollution Control District Supplemental Application Form

CEQA Information

The San Joaquin Valley Air Pollution Control District (District) is required by state law, the California Environmental Quality Act (CEQA), to review discretionary permit project applications for potential air quality and other environmental impacts. This form is a screening tool to assist the District in clarifying whether or not the project has the potential to generate significant adverse environmental impacts that might require preparation of a CEQA document (CEQA Guidelines §15060(a).

PERMIT TO BE ISSUED TO:

LOCATION WHERE THE EQUIPMENT WILL BE OPERATED:							
Section 1: Agency Approvals							
	Check "Yes" or "No" as applicable.	Yes	No				
1.	Has a Lead Agency prepared an environmental review document (Environmental Impact Review, Mitigated Negative Declaration, Negative Declaration, or Notice of Exemption) for this project?	Note 1					
2.	Is a Lead Agency in the process of preparing an environmental review document (Environmental Impact Review, Mitigated Negative Declaration, Negative Declaration, or Notice of Exemption) for this project?	Note 1					
	If "Yes" is checked for either question 1 or 2, please provide the following information: - Lead Agency name: - Name of Lead Agency contact person: - Type of CEQA document prepared: - Project reference number: - If a CEQA Environmental Review document has been prepared for this project, please attach a copy of the Notice of Determination or the Notice of Exemption If "No" is checked for both questions 1 and 2, please attach an explanation:						

Note 1: If you answered YES to question 1 OR 2 do not complete Section 2 of this form, and please return the completed form to the Air Pollution Control District.

Section 2: Project Information						
Note: If you answered YES to question 1 OR 2 of Section 1 do not complete this section, and please return the completed form to the Air Pollution Control District.			Yes	No		
1.	Would this project result in more than 47 heavy-duty truck (HD) one-way trips per day to and from the facility? (23 heavy-duty truck (HD) round trips per day).					
2.	Would this project result in a need for more than 350 new employees?					
3.	Would this project result in more than 700 customer trips per day to and from the facility?					
4.	Would this project increase the demand for water at the facility by more than 5,000,000 gallons per day?					
5.	Would this project require construction of new water conveyance infrastructure Post-project facility water demand exceeding the capacity of local water purveyor.					
6.	Would this project create a permanent need for new or additional public services for Solid Waste Disposal or Hazardous Waste Disposal? Post-project waste discharge exceeding the capacity of the local Solid Waste Disposal or Hazardous Waste Disposal.					
7.	Would this project result in noticeable off-site odo nuisance complaints?	ors that have the potential to generate				
8.	Would this project include equipment with a noise	specification greater than 90 decibels (db)?				
9.	Has this project generated any known public concern Public concern may be interpreted as concerns by local attention such as negative newspapers or other periodic environmental justice issues, etc.					
10.	Would this project result in any demolition, excavation, and/or grading/construction activities outside the perimeter of the existing facility?					
11.	Would this project result in any demolition, excavating, and/or grading construction activities that encompass an area exceeding 20,000 Square feet (<u>inside</u> or <u>outside</u> the perimeter of the existing facility)?					
12.	Is this project part of a larger development activity at the facility that collectively would result in answering YES to any of the questions listed above?					
	FOR DISTRICT USE ONLY	– CEQA ANALYSIS REQUEST				
	PERMIT	TECHNICAL SERVICES				
AQE N	ame:	AQS Name:				
Facility Name:		PAS #: CEQA #:				
Facility #: Project #:		Project with potential public concern?	☐ Yes ☐ No			
Is this an RO project?		Detailed CEQA analysis required?				
Project subject to Public Notice? Yes No		Indemnification Agreement (IA) required? Letter of Credit (LOC) required?	☐ Yes ☐ No ☐ N/A ☐ Yes ☐ No ☐ N/A			
Please summarize or attach the following: -						