

San Joaquin Valley Air Pollution Control District

www.valleyair.org

Rule 4570 Permit Application Form Dairy Confined Animal Feeding (CAF) Mitigation Measures

Facility Name: _____

Facility Location: _____

Mailing Address: _____

Phone No.: (____) ____ - ____

Cell Phone No.: (____) ____ - ____

Owner/Operator: _____

Title: _____

Signature: _____

Date: _____

Instructions

1. Please completely fill out the tables included in the following pages of this form indicating the mitigation measures that you will be utilizing to comply with Rule 4570.
2. This application must be submitted with application filing fees totaling \$300 (\$60 per permit unit x 5 permit units). If submitting this form at a workshop, please do not submit the fees at the workshop. The District will send you an invoice at a later date.
3. Have you received a CMP Plan as required by District Rule 4550 or permit from the District for your existing dairy?
 - If yes, what is your facility number? _____
 - If you have not received a CMP Plan or permit from the District, you must fill out the following application forms and attach them to this form. The application forms may be found on the District's website at http://www.valleyair.org/General_Info/AGLoader.htm:
 - **Initial Permit Application Form for Farms (Form "PA-0")**
 - **Dairy Farm Permit Application Form (Form "Dairy")**
 - **CMP Plan Application (Form "CMP 0")**
 - **CMP Dairy Supplemental Application (Form "CMP 13")**
 - **Other Applicable CMP Supplemental Application Forms**

FOR APCD USE ONLY:

DATE STAMP:

FILING FEE

RECEIVED: \$ _____ CHECK #: _____

DATE PAID: _____

PROJECT #: _____ FACILITY ID: _____

Northern Regional Office * 4800 Enterprise Way * Modesto, California 95356-8718 * (209) 557-6400 * FAX (209) 557-6475
Central Regional Office * 1990 East Gettysburg Avenue * Fresno, California 93726-0244 * (559) 230-5900 * FAX (559) 230-6061
Southern Regional Office * 2700 M Street, Suite 275 * Bakersfield, California 93301-2370 * (661) 326-6900 * FAX (661) 326-6985

<p style="text-align: center;">Feed Mitigation Measures</p>	<p>Dairy owners/operators must select at least <u>four</u> of the following feed mitigation measures:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Feed according to National Research Council (NRC) guidelines. <input type="checkbox"/> Feed animals high moisture corn or steam-flaked corn and not feed animals dry rolled corn. <input type="checkbox"/> At least once every 14 days remove feed from the area where animals stand to eat feed. <input type="checkbox"/> At least once every 14 days remove spilled feed from the area where equipment travels to place feed in the feed bunk. <input type="checkbox"/> Remove uneaten wet feed from feed bunks within twenty-four hours of a rain event. <input type="checkbox"/> Feed or dispose of rations within 48 hours of grinding and mixing rations. <input type="checkbox"/> Store grain in a weatherproof storage structure from October through May. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i>
<p style="text-align: center;">Feed Mitigation Measures</p>	<p>Dairy owners/operators must select at least <u>one</u> of the following feed mitigation measures:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Cover the horizontal surface of silage piles, except for the area where feed is being removed from the pile. <input type="checkbox"/> Collect leachate from the silage piles and send it to a waste treatment system such as a lagoon at least once every 24 hours. <input type="checkbox"/> Enclose silage in a bag and vent to a VOC control device with a combined VOC capture and VOC control efficiency of at least 80%. (Please note: Source testing per Section 7.2 of Rule 4570 will be required.) <input type="checkbox"/> Enclose silage in a weatherproof structure and vent to a VOC control device with a combined VOC capture and VOC control efficiency of at least 80%. (Please note: Source testing per Section 7.2 of Rule 4570 will be required.) <input type="checkbox"/> Eliminate silage from animal diet. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i>
<p style="text-align: center;">Milk Parlor Mitigation Measures</p>	<p>Dairy owners/operators must select at least <u>one</u> of the following milk parlor mitigation measures:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Flush or hose milk parlor immediately prior to, immediately after, or during each milking. <input type="checkbox"/> Enclose and vent the milk parlor to a VOC control device with an overall VOC capture and VOC control efficiency of at least 80% when animals are in the parlor. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures form.</i>
<p style="text-align: center;">Freestall Barn Mitigation Measures</p>	<p>Dairy owners/operators with freestall barns must select at least <u>two</u> of the following freestall barn mitigation measures:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Vacuum or scrape freestall lanes immediately prior to, immediately after, or during each milking. <input type="checkbox"/> Inspect water pipes and troughs and repair leaks at least once every 14 days. <input type="checkbox"/> Use non-animal waste-based bedding and non-separated solids based bedding for at least 90% of the bedding material, by weight, for freestalls (e.g. rubber mats, almond shells, sand, or waterbeds). <input type="checkbox"/> Remove animal waste that is not dry from individual cow freestall beds at least once every 14 days. <input type="checkbox"/> Groom (rake, harrow, scrape, or grade) bedding in freestalls at least once every 14 days. <input type="checkbox"/> Use a dry animal waste handling system, such as scraping, instead of a liquid animal waste handling system, such as a flush system. <input type="checkbox"/> Have no animals in exercise pens, corrals, or drylots at any time. <input type="checkbox"/> Flush freestalls more frequently than the milking schedule. <input type="checkbox"/> Vacuum animal waste instead of flushing or scraping and apply animal waste directly to land either through injection or incorporation within 72 hours of removal from animal housing or vacuum truck. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i> <input type="checkbox"/> Not Applicable – No freestall barns

<p style="text-align: center;">Corral Mitigation Measures</p>	<p>Dairy owners/operators with corrals must select at least <u>six</u> of the following mitigation measures for each corral where animals have been housed in the last 30 days:</p> <p>Please note, only one of the following <u>three</u> measures will count towards the <u>six</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Clean animal waste from corrals at least 4 times per year with at least 60 days between cleaning. <input type="checkbox"/> Clean corrals at least once between April and July and at least once between October and December. <input type="checkbox"/> Clean concreted areas such that the depth of animal waste does not exceed 12 inches at any point or time, except for in-corral mounding. <p>Please note, only one of the following <u>two</u> measures will count towards the <u>six</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Maintain corrals to ensure drainage and prevent water from standing more than 48 hours after a storm. <input type="checkbox"/> Maintain corrals and drylots so that there are not indentions in the surface where puddles may form and remain for more than 48 hours. <p>Please note, only one of the following <u>three</u> measures will count towards the <u>six</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Install no shade structures in the corrals. <input type="checkbox"/> Install shade structures such that they are constructed with a semi -permeable roofing material. <input type="checkbox"/> Install all shade structures uphill of any slope in the corral. <p>Please note, only one of the following <u>two</u> measures will count towards the <u>six</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Use lime or a similar absorbent material in the pens according to the manufacturer's recommendations to minimize moisture in the pens. <input type="checkbox"/> Apply thymol to corral soil in accordance with the manufacturer's recommendation. <p>Please note, any of the following <u>nine</u> measures may be selected.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Manage corrals such that the animal waste depth in the corral does not exceed 12 inches at any time or point, except for in-corral mounding. <input type="checkbox"/> Knockdown fence line animal waste build-up prior to it exceeding a height of 12 inches at any time or point. <input type="checkbox"/> Scrape or flush feed aprons in corrals at least once every seven 7 days. <input type="checkbox"/> Slope the surface of the pens at least 3% where the available space for each animal is 400 square feet or less. Slope the surface of the pens at least 1.5% where the available space for each animal is more than 400 square feet per animal. <input type="checkbox"/> Install floats on the troughs or use another method approved by the APCO, ARB, and EPA to ensure that the water in the troughs does not intentionally or unintentionally overflow or spill onto an earthen ground. <input type="checkbox"/> Inspect water pipes and troughs and repair leaks at least once every 14 days. <input type="checkbox"/> Groom (harrow, rake, or scrape) pens sufficiently to maintain a dry surface. <input type="checkbox"/> House animals in an enclosure vented to a VOC control device with a combined VOC capture and VOC control efficiency of at least 80%. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i> <input type="checkbox"/> Not Applicable – No open corrals
<p style="text-align: center;">Solid Waste Mitigation Measures</p>	<p>Dairy owners/operators which handle solid animal waste or separated solids animal waste stored outside the animal housing must select at least <u>two</u> of the following solid or separated solids animal waste mitigation measures:</p> <p>Please note, only one of the following <u>two</u> measures will count towards the <u>two</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Remove separated solids from the facility within 72 hours of separation. <input type="checkbox"/> Store no separated solids outside of anaerobic digesters or aerobic lagoons. <p>Please note, any of the following <u>seven</u> measures may be selected.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Cover dry animal waste piles outside the pens with a weatherproof covering from October through May, except for times, not to exceed 24 hours per event, when wind events remove the covering. <input type="checkbox"/> Cover dry separated solids outside the pens with a weatherproof covering from October through May, except for times, not to exceed 24 hours per event, when wind events remove the covering. <input type="checkbox"/> Remove animal waste from the facility within 72 hours of removal from the pens or corrals. <input type="checkbox"/> Compost animal waste removed from pens with an aerated static pile vented to a VOC control device with an overall VOC capture and VOC control efficiency of at least 80%. <input type="checkbox"/> Store all removed animal waste in an enclosure vented to a VOC control device with an overall VOC capture and VOC control efficiency of at least 80%. <input type="checkbox"/> Send at least 51% of the animal waste removed from animal housing to a digester, with a VOC control device with an overall VOC capture and VOC control efficiency of at least 80%. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i> <input type="checkbox"/> Not Applicable – No solid waste handled

<p style="text-align: center;">Liquid Waste Mitigation Measures</p>	<p>Dairy owners/operators which handle liquid animal waste must select at least <u>one</u> of the following liquid animal waste mitigation measures:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Use phototrophic lagoon. (Please note: Testing per Section 7.2 of Rule 4570 will be required.) <input type="checkbox"/> Use an anaerobic treatment lagoon designed according to NRCS Guideline No. 359. (Please note: Testing per Section 7.2 of Rule 4570 will be required.) <input type="checkbox"/> Use an aerobic lagoon. (Please note: Testing per Section 7.2 of Rule 4570 will be required.) <input type="checkbox"/> Use a mechanically aerated lagoon (aerators). (Please note: Testing per Section 7.2 of Rule 4570 will be required.) <input type="checkbox"/> Manage the facility such that there are no lagoons at the facility. (Lagoons are defined as a basin constructed, maintained, and operated to store and treat animal waste. This does not include basins primarily used to collect runoff and storm water.) <input type="checkbox"/> Remove solids from the waste system with a solid separator system, prior to the waste entering the lagoon. <input type="checkbox"/> Maintain lagoon pH between 6.5 and 7.5. <input type="checkbox"/> Maintain organic loading in the lagoon such that the total solids are less than 3.5 mg (dry weight)/mL, or total volatile solids are less than 3.5 mg/mL. <input type="checkbox"/> Use additional non-standard equipment or chemicals on the solid separator system, such as roller or screw presses or chemical coagulants and flocculants, that increase the percent of solid separation achieved by the separator and that is approved by the APCO, ARB, and EPA. <input type="checkbox"/> Cover the lagoon or storage pond and vent to a VOC control device with an overall VOC capture and VOC control efficiency of at least 80%. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i> <input type="checkbox"/> Not Applicable – No liquid waste handled
<p style="text-align: center;">Land Application Mitigation Measures</p>	<p>Dairy owners/operators which land apply dry or liquid animal waste must select at least <u>two</u> of the following land applied dry or liquid animal waste mitigation measures:</p> <p>Please note, only one of the following <u>two</u> measures will count towards the <u>two</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Allow liquid animal waste to stand in the fields no more than 24 hours after irrigation. <input type="checkbox"/> Apply no liquid animal waste. <p>Please note, only one of the following <u>two</u> measures will count towards the <u>two</u> required for this category.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Apply no solid animal waste with a moisture content of more than 50%. <input type="checkbox"/> Apply no solid animal waste. <p>Please note, any of the following <u>three</u> measures may be selected.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Land incorporate all solid animal waste within 72 hours of removal from animal housing. <input type="checkbox"/> Only apply solid or liquid animal waste that has been treated with an anaerobic or aerobic lagoon or digester system. <input type="checkbox"/> Implement an alternative mitigation measure(s), not listed above. <i>Please provide details on an attached Alternate Mitigation Measures supplemental application form.</i> <input type="checkbox"/> Not Applicable – Liquid or solid manure is not land applied