San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

HEALTHY AIR LIVING™

MAR 19 2015

Mr. Todd Seely
E&J Gallo Winery
600 Yosemite Blvd
Modesto, CA 95354

Re: Notice of Final Action - Title V Permit Renewal
District Facility # N-3386
Project # N-1141192

Dear Mr. Seely:

The District has issued the Final Renewed Title V Permit for E&J Gallo Winery. The preliminary decision for this project was made on January 15, 2015. No comments were received subsequent to the District preliminary decision.

The public notice for issuance of the Final Title V Permit will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Nick Peirce, Permit Services Manager, at (209) 557-6400.

Sincerely,

Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Mike Tollstrup, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

www.valleyair.org www.healthyairliving.com

Printed on recycled paper.

FACILITY: N-3386-0-4 **EXPIRATION DATE:** 10/31/2019

FACILITY-WIDE REQUIREMENTS

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit

11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit

12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit

13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit

14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit

15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit

16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit

17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit

18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit

19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit

20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit

21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit

24. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit

25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit

26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit

27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit

28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit

29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit

30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit

31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit

32. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit

33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit

34. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit

35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit

37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit

38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit

39. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

41. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

42. Facility shall comply with all applicable requirements regarding preparation and implementation of a risk management plan (RMP) by August 31, 1999, and shall abide by all applicable sections of 40 CFR Part 68. [40 CFR 68] Federally Enforceable Through Title V Permit

43. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin July 6 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days of the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

44. Operator shall maintain annual records of the total gallons of red wine and total gallons of white wine fermented at the winery, and total gallons of wine in storage tanks to claim exemption pursuant to section 4.0 of District Rule 4694 (12/15/05). [District Rule 4694]

45. Facilities N-3386 and N-7478 are part of the same stationary source for Rule 2201 purposes. [District NSR Rule] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-1-11 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10.463 MMBTU/HR KEWANEE MODEL #L2S-250-G02 NATURAL GAS-FIRED BOILER (#1) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER WITH FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. The unit shall only be fired on PUC-quality natural gas. [District Rules 2201 and 4320] Federally Enforceable Through Title V Permit
4. Emissions from the boiler shall not exceed any of the following limits: 9 ppmvd NOx @ 3% O2 or 0.011 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.014 lb-PM10/MMBtu, 315 ppmvd CO @ 3% O2 or 0.2293 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
5. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
6. Source testing to measure NOx and CO emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
7. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
8. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
9. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
10. Fuel sulfur content shall be determined using EPA Method 11 or Method 15. [District Rule 4320] Federally Enforceable Through Title V Permit
11. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

12. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

13. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

14. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081]

15. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

16. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

17. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

18. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

19. The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

20. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit

21. All records shall be maintained and retained on-site for a minimum of five years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-2-9 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10.463 MMBTU/HR KEWANEE MODEL #L2S-250-G02 NATURAL GAS-FIRED BOILER WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER AND FLUE GAS RECIRCULATION (BOILER #2).

PERMIT UNIT REQUIREMENTS

1. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the unit shall be installed, utilized and maintained. [District NSR Rule and District Rules 4305 and 4306, 5.4.4] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. The unit shall only be fired on PUC quality natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
4. The annual heat input into this unit shall not exceed 30 billion Btu per calendar year. [District NSR Rule and District Rules 2201, 4305 and 4306] Federally Enforceable Through Title V Permit
5. The NOx emissions shall not exceed 9 ppmvd @ 3% O2 or 0.011 lb/MMBtu. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
6. The CO emissions shall not exceed 47 ppmvd @ 3% O2 or 0.035 lb/MMBtu. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
7. The VOC emissions shall not exceed 0.0027 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The SOx emissions shall not exceed 0.00285 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The PM10 emissions shall not exceed 0.014 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
11. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
12. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
13. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

14. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit

15. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

16. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

17. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

18. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in rules 4305, 4306 and 4320. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

19. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

20. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

21. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

22. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

23. The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

24. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

25. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

26. Records of monthly and annual heat input of the unit shall be maintained. [District NSR Rule and District Rules 4305, 4306, 4320 and 40 CFR Part 60.48(g)(2)] Federally Enforceable Through Title V Permit

27. All records shall be maintained and retained on-site for a minimum of five years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-3-8 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10.2058 MMBTU/HR CLEAVER-BROOKS MODEL CB200-250 NATURAL GAS-FIRED BOILER WITH A CLEAVER-BROOKS/NATCOM MODEL NTI250 LOW NOX BURNER (BOILER #3).

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO2, nor 10 lb/hr. [District Rule 4201 and District Rule 4301, 5.1 and 5.2.3] Federally Enforceable Through Title V Permit
3. The unit shall only be fired on PUC quality natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
4. The NOx emissions shall not exceed 9 ppmvd @ 3% O2 or 0.011 lb/MMBtu. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
5. The CO emissions shall not exceed 30 ppmvd @ 3% O2 or 0.022 lb/MMBtu. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
6. The VOC emissions shall not exceed 0.00287 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The SOx emissions shall not exceed 0.00285 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The PM10 emissions shall not exceed 0.0076 lb//MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
10. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
11. The source plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
12. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
13. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

14. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306 (10/16/08). [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit

15. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit

16. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit

17. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit

18. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit

19. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit

20. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the permit-to-operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit

21. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit

22. The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

23. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit

24. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

25. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule 4301. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

26. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule 4801 and Stanislaus County Rule 407. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

27. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 4201 and 4305. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

28. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule Rule 1081. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

29. Records of monthly and annual heat input of the unit shall be maintained. [District NSR Rule and District Rules 4305, 4306, 4320 and 40 CFR Part 60.48(g)(2)] Federally Enforceable Through Title V Permit

30. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-5-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
DIATOMACEOUS EARTH (DE) PNEUMATIC RECEIVING AND STORAGE OPERATION WITH TWO (2) 11,818 CUBIC FEET SILOS EACH SERVED BY A SLY PACTECON BAGHOUSE (MODEL # PC-3(1)-584).

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation E = 3.59xP^0.62 if P is less than or equal to 30 tons per hour, or E = 17.37xP^0.16 if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-6-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
ACTIVATED CARBON RECEIVING AND STORAGE OPERATION WITH A 4182 CUBIC FOOT STORAGE SILO SERVED BY A G. L. PRECISION (MODEL # 72GLP25-B) BAGHOUSE.

PERMIT UNIT REQUIREMENTS

1. There shall be no visible emissions from the baghouse. [District NSR Rule] Federally Enforceable Through Title V Permit
2. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
5. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
6. Ducting to the baghouse shall be properly maintained to prevent fugitive dust emissions. [District NSR Rule] Federally Enforceable Through Title V Permit
7. The PM10 emission concentration shall not exceed 0.003 lbs per ton of material received. [District NSR Rule] Federally Enforceable Through Title V Permit
8. The amount of material received shall not exceed 96 tons in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
9. Daily records of the amount of material received shall be maintained, retained on the premises for a minimum of five years, and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit
10. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
11. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
13. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

14. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

15. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation E = 3.59xP^0.62 if P is less than or equal to 30 tons per hour, or E = 17.37xP^0.16 if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-10-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
GASOLINE DISPENSING OPERATION WITH ONE 1,000 GALLON TRUSCO SUPERVAULT ABOVEGROUND STORAGE TANK SERVED BY MORRISON BROTHERS PHASE I ENHANCED VAPOR RECOVERY (EVR) SYSTEM (VR-402-B), STANDING LOSS CONTROL (VR-301-F), AND 1 FUELING POINT WITH 1 GASOLINE DISPENSING NOZZLE SERVED BY BALANCE PHASE II VAPOR RECOVERY SYSTEM (G-70-132-A)

PERMIT UNIT REQUIREMENTS

1. The Phase I, Phase II, and Standing Loss Control Vapor recovery systems shall be installed and maintained in accordance with the manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control Board that have been made conditions of the certification. [District Rules 4621 and 4622 and CH&SC 41950] Federally Enforceable Through Title V Permit
2. This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622] Federally Enforceable Through Title V Permit
3. The storage container shall be installed, maintained, and operated such that it is leak-free. [District Rule 4621] Federally Enforceable Through Title V Permit
4. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
5. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration of total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
6. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621] Federally Enforceable Through Title V Permit
7. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

8. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622] Federally Enforceable Through Title V Permit

9. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622] Federally Enforceable Through Title V Permit

10. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons - one day per month; B) 2,500 to less than 25,000 gallons - one day per week; or C) 25,000 gallons or greater - five days per week. All inspections shall be documented withln the O & M Manual. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

11. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621] Federally Enforceable Through Title V Permit

12. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 2) the hoses are not torn, flattened or crimped; 3) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 4) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622] Federally Enforceable Through Title V Permit

13. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622] Federally Enforceable Through Title V Permit

14. The gasoline throughput for this permit unit shall not exceed 657,000 gallons in any one calendar year. [District Rule 2201] Federally Enforceable Through Title V Permit

15. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

16. The permittee shall perform and pass a Static Leak Test "Determination of Static Pressure Performance of Vapor Recovery Systems at Gasoline Dispensing Facilities with Aboveground Tanks" in accordance with the Executive Order specified in this permit for the Phase I Vapor Recovery System at least once every 12 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

17. For certified Phase II vapor recovery systems with liquid removal devices, the permittee shall perform and pass an ARB TP-201.6C Liquid Removal Test whenever the liquid in the vapor path exceeds 100 ml of liquid, or as required by the applicable ARB Executive Order. The amount of liquid in the vapor path shall be measured by lowering the gasoline dispensing nozzle into a container until such time that no more liquid drains from the nozzle. The amount of liquid drained into the container shall be measured using a graduated cylinder or graduated beaker. The vapor path shall be inspected according to the monitoring frequency as determined by monthly gasoline throughput. [District Rule 4622] Federally Enforceable Through Title V Permit

18. A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

19. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

20. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

21. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621] Federally Enforceable Through Title V Permit

22. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622] Federally Enforceable Through Title V Permit

23. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622] Federally Enforceable Through Title V Permit

24. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622] Federally Enforceable Through Title V Permit

25. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

26. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-13-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
ABRASIVE BLASTING OPERATION WITH A 700 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-16-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-17-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-23-7 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
240 BHP FORD-GENERAC MODEL 7.5DTA DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
6. Emissions from this IC engine shall not exceed any of the following limits: 6.71 g-NOx/bhp-hr, 8.5 g-CO/bhp-hr, or 1.0 g-VOC/bhp-hr. [District Rule 2201, 13 CCR 2423, and 17 CCR 93115] Federally Enforceable Through Title V Permit
7. Emissions from this IC engine shall not exceed 0.4 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rule 2201, 4102, 13 CCR 2423, and 17 CCR 93115] Federally Enforceable Through Title V Permit
8. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. The owner or operator has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil withln 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

10. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. The owner or operator shall operate and maintain the engine according to the manufacturer's emission-related written instructions or develop its own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. The owner or operator must minimize the engine's time spent at ldle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. The owner or operator shall keep records of the maintenance conducted on the engine to demonstrate that the engine and the associated emissions control equipment (if any) is being operated and maintained according to the manufacturer's maintenance plan. These records shall include, but are not limited to the date, hour meter reading, action performed (e.g., engine oil and filter change/analysis, air filter inspection, hoses and belt inspection, etc.), name of the individual conducting maintenance and company affiliation. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
16. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
17. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 30 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
18. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
19. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
20. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
21. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-24-6 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
GASOLINE DISPENSING OPERATION WITH TWO 15,000 GALLON UNDERGROUND STORAGE TANKS SERVED BY AN EBW PHASE I VAPOR RECOVERY SYSTEM (VR-103-A), AND 4 FUELING POINTS WITH 4 GASOLINE DISPENSING NOZZLES SERVED BY A HEALY PHASE II VAPOR RECOVERY SYSTEM (VR-201-I)

PERMIT UNIT REQUIREMENTS

1. The Phase I and Phase II vapor recovery systems shall be installed and maintained in accordance with the manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control Board that have been made conditions of the certification. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
2. This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622] Federally Enforceable Through Title V Permit
3. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
4. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration of total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
5. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621] Federally Enforceable Through Title V Permit
6. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622] Federally Enforceable Through Title V Permit
7. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

8. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622] Federally Enforceable Through Title V Permit

9. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons - one day per month; B) 2,500 to less than 25,000 gallons - one day per week; or C) 25,000 gallons or greater - five days per week. All inspections shall be documented within the O & M Manual. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

10. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621] Federally Enforceable Through Title V Permit

11. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the fueling instructions required by this permit are clearly displayed with the appropriate toll-free complaint phone number and toxic warning signs; 2) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 3) the hoses are not torn, flattened or crimped; 4) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 5) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622] Federally Enforceable Through Title V Permit

12. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622] Federally Enforceable Through Title V Permit

13. Unless an In-Station Diagnostic (ISD) system is installed pursuant to a District Authority to Construct permit, the gasoline throughput at this facility shall not exceed the following: 1.8 million gallons per year (effective September 1, 2009) and 600,000 gallons per year (effective September 1, 2010). [District Rule 4622] Federally Enforceable Through Title V Permit

14. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

15. The permittee shall perform and pass a Static Torque of Rotatable Phase I Adaptors test using ARB procedure TP-201.1B at least once every 36 months. [District Rule 4621] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

16. The permittee shall perform and pass a Pressure Integrity of Drop Tube Drain Valve Assembly Test using ARB TP-201.1C or a Pressure Integrity of Drop Tube Overfill Protection Devices Test using ARB TP-201.1D if an overfill protection device is installed, at least once every 36 months. [District Rule 4621] Federally Enforceable Through Title V Permit

17. The permittee shall perform and pass a Static Leak Test for Underground Tanks using ARB TP-201.3 in accordance with the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

18. The permittee shall perform and pass a Dynamic Back Pressure Test using ARB TP-201.4 at least once every 5 years. [District Rule 4622] Federally Enforceable Through Title V Permit

19. The permittee shall perform and pass a Vapor-to-Liquid Volume Ratio Test using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every six (6) months. [District Rule 4622] Federally Enforceable Through Title V Permit

20. The permittee shall perform and pass a Static Pressure Test for the Healy Clean Air Separator using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit

21. The permittee shall perform and pass a Dispenser vapor Line Tightness test for each dispenser using the test procedure defined in the Installation, Operation and Maintenance manual of the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit

22. A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

23. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

24. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

25. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621] Federally Enforceable Through Title V Permit

26. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622] Federally Enforceable Through Title V Permit

27. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622] Federally Enforceable Through Title V Permit

28. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622] Federally Enforceable Through Title V Permit

29. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

30. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-26-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
192 BHP GENERAC MODEL 64DTAH DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A 125 KW ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
3. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201, 4102, and 4801, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
6. The NOx emissions shall not exceed 4.20 g/hp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The PM10 emissions shall not exceed 0.135 g/hp-hr. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
8. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. The owner or operator has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

11. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. The owner or operator shall operate and maintain the engine according to the manufacturer's emission-related written instructions or develop its own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. The owner or operator must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. The owner or operator shall keep records of the maintenance conducted on the engine to demonstrate that the engine and the associated emissions control equipment (if any) is being operated and maintained according to the manufacturer's maintenance plan. These records shall include, but are not limited to the date, hour meter reading, action performed (e.g., engine oil and filter change/analysis, air filter inspection, hoses and belt inspection, etc.), name of the individual conducting maintenance and company affiliation. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
16. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
17. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
18. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
19. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
20. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
21. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-27-3 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,120 BHP DETROIT DIESEL MODEL 12V2000 DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. Emissions from this IC engine shall not exceed any of the following limits: 5.75 g-NOx/bhp-hr, 0.6 g-CO/bhp-hr, or 0.26 g-VOC/bhp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Emissions from this IC engine shall not exceed 0.09 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102, 17 CCR 93115] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
6. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
7. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
8. This engine shall be equipped with an operational nonresettable elapsed operating time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

10. The owner or operator has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. The owner or operator shall operate and maintain the engine according to the manufacturer's emission-related written instructions or develop its own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. The owner or operator must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. The owner or operator shall keep records of the maintenance conducted on the engine to demonstrate that the engine and the associated emissions control equipment (if any) is being operated and maintained according to the manufacturer's maintenance plan. These records shall include, but are not limited to the date, hour meter reading, action performed (e.g., engine oil and filter change/analysis, air filter inspection, hoses and belt inspection, etc.), name of the individual conducting maintenance and company affiliation. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
16. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
17. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
18. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
19. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
20. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

21. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-28-5 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
270 BHP CUMMINS MODEL 6CTA8.3-F2 DIESEL-FIRED EMERGENCY IC ENGINE POWERING A FIREWATER PUMP

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201, 4102 and 4801, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
4. Emissions from this IC engine shall not exceed any of the following limits: 5.45 g-NOx/bhp-hr, 3.11 g-CO/bhp-hr, or 0.82 g-VOC/bhp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
5. PM10 emissions shall not exceed 0.25 g/bhp-hr based on U.S EPA certification using test procedure ISO 8178. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
6. The exhaust stack shall not be fitted with a rain cap or any similar device that would impede vertical exhaust flow. [District Rule 4102]
7. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. The owner or operator has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

11. The owner or operator shall operate and maintain the engine according to the manufacturer's emission-related written instructions or develop its own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

12. The owner or operator must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

13. The owner or operator shall keep records of the maintenance conducted on the engine to demonstrate that the engine and the associated emissions control equipment (if any) is being operated and maintained according to the manufacturer's maintenance plan. These records shall include, but are not limited to the date, hour meter reading, action performed (e.g., engine oil and filter change/analysis, air filter inspection, hoses and belt inspection, etc.), name of the individual conducting maintenance and company affiliation. [40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

14. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District NSR Rule and 4702, and 17 CCR 93115] Federally Enforceable Through Title V Permit

15. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

16. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

17. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit

18. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-29-4 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
TRANSPORTABLE 460 BHP CATERPILLAR MODEL 3406 DITA TIER 2 DIESEL-FIRED IC ENGINE SERVED BY A MINE-X MODEL DC16-6 OXIDATION PURIFIER POWERING AN AIR COMPRESSOR

PERMIT UNIT REQUIREMENTS

1. This unit is a "non-road" engine (defined in 40 CFR §1068.30) that does not operate at one location for more than 12 consecutive months. [17 CCR 93116 and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
2. This engine shall be equipped with a turbocharger, intercooler/aftercooler and either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap, roof overhang, or any other obstruction. [District Rule 4102]
4. Emissions from this engine shall not exceed any of the following limits: 3.45 g-NOx/hp-hr; 0.23 g-CO/hp-hr; or 0.01 g-VOC/hp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The PM10 emissions rate shall not exceed 0.08 g/hp-hr. [District Rule 2201, 40 CFR 89.112(a) and 17 CCR 93116.3(b)] Federally Enforceable Through Title V Permit
6. The owner or operator shall comply with the fleet PM emission standards, recordkeeping, and reporting requirements in Title 17 CCR 93116 (Airborne Toxic Control Measure (ATCM) for Diesel Particulate Matter from Portable Engines Rated at 50 Horsepower and Greater) by the required compliance dates in the regulation. [17 CCR 93116.3(c)]
7. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
8. The sulfur content of the diesel fuel used shall not exceed 0.0015% by weight. The operator shall maintain copies of all fuel invoices and supplier certifications. [District Rules 2201and 4801, 17 CCR 93116.3(a)] Federally Enforceable Through Title V Permit
9. The operating hours of this engine shall not exceed 200 hours during any one calendar year. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
10. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
11. Operator shall maintain annual operating records. The records shall include the date, total hours of operation, records of operational characteristic monitoring, and purpose for operating the engine. The records shall be kept on the premises at all times and shall be readily made available for inspection upon request. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

13. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
14. The owner or operator shall maintain records of the date and the location where the engine was operated. [17 CCR 93116 and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-31-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 300 LB KELCO K-116V BLASTING POT

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [Rule 4102]
2. The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
3. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
4. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
5. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
6. Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
7. Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
8. Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-33-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,806 GALLON STEEL WINE STORAGE TANK 61 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-34-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,815 GALLON STEEL WINE STORAGE TANK 62 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-35-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,813 GALLON STEEL WINE STORAGE TANK 63 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-36-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,815 GALLON STEEL WINE STORAGE TANK 64 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-37-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,807 GALLON STEEL WINE STORAGE TANK 65 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-38-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,809 GALLON STEEL WINE STORAGE TANK 66 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-39-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,812 GALLON STEEL WINE STORAGE TANK 67 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-40-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
5,807 GALLON STEEL WINE STORAGE TANK 68 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-41-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,521 GALLON STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-42-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,506 GALLON STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-43-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,499 GALLON STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-44-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,540 GALLON STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-45-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,522 GALLON STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-46-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,507 GALLON STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-47-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,519 GALLON STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-48-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,563 GALLON STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-49-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,568 GALLON STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-50-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,549 GALLON STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-51-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,554 GALLON STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-52-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,558 GALLON STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-53-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,471 GALLON STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-54-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,486 GALLON STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-55-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,572 GALLON STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-56-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,557 GALLON STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-57-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,542 GALLON STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-58-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,858 GALLON STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-59-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,858 GALLON STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-60-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,855 GALLON STEEL WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-61-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,854 GALLON STEEL WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-62-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,846 GALLON STEEL WINE STORAGE TANK 125 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-63-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,854 GALLON STEEL WINE STORAGE TANK 126 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-64-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,855 GALLON STEEL WINE STORAGE TANK 127 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-65-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,861 GALLON STEEL WINE STORAGE TANK 128 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-66-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,860 GALLON STEEL WINE STORAGE TANK 129 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-67-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,860 GALLON STEEL WINE STORAGE TANK 130 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-68-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,860 GALLON STEEL WINE STORAGE TANK 131 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-69-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,846 GALLON STEEL WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-70-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,858 GALLON STEEL WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-71-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,850 GALLON STEEL WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-72-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,853 GALLON STEEL WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-73-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,850 GALLON STEEL WINE STORAGE TANK 136 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-74-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,859 GALLON STEEL WINE STORAGE TANK 137 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-75-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,857 GALLON STEEL WINE STORAGE TANK 138 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-76-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
9,858 GALLON STEEL WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-77-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
10,206 GALLON STEEL WINE STORAGE TANK 198 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-78-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,395 GALLON STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-79-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,386 GALLON STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-80-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,399 GALLON STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-81-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,384 GALLON STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-82-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,367 GALLON STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-83-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,412 GALLON STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-84-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,423 GALLON STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-85-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,444 GALLON STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-86-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,392 GALLON STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-87-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,376 GALLON STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-88-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,427 GALLON STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-89-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,358 GALLON STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-90-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,311 GALLON STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-91-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,435 GALLON STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-92-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,354 GALLON STEEL WINE STORAGE TANK 215 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-93-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,359 GALLON STEEL ENCLOSED TOP WINE FERMENTATION AND STORAGE TANK 216 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-94-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,366 GALLON STEEL WINE STORAGE TANK 217 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-95-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,389 GALLON STEEL WINE STORAGE TANK 218 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-96-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,609 GALLON STEEL WINE STORAGE TANK 219 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-97-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
19,491 GALLON STEEL WINE STORAGE TANK 220 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-98-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,295 GALLON STEEL WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-99-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,266 GALLON STEEL WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-100-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,302 GALLON STEEL WINE STORAGE TANK 503 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-101-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,278 GALLON STEEL WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-102-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,264 GALLON STEEL WINE STORAGE TANK 505 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-103-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,311 GALLON STEEL WINE STORAGE TANK 506 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-104-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,289 GALLON STEEL WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-105-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,279 GALLON STEEL WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-106-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,359 GALLON STEEL WINE STORAGE TANK 509 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-107-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,250 GALLON STEEL WINE STORAGE TANK 510 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-108-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,186 GALLON STEEL WINE STORAGE TANK 511 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-109-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,228 GALLON STEEL WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-110-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,252 GALLON STEEL WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-111-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,260 GALLON STEEL WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-112-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,237 GALLON STEEL WINE STORAGE TANK 515 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-113-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,227 GALLON STEEL WINE STORAGE TANK 516 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-114-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,283 GALLON STEEL WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-115-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,257 GALLON STEEL WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-116-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
52,123 GALLON STEEL WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-117-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
53,030 GALLON STEEL WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-118-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,450 GALLON STEEL WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-119-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,302 GALLON STEEL WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3388-120-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,316 GALLON STEEL WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-121-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,280 GALLON STEEL WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-122-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,277 GALLON STEEL WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-123-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,290 GALLON STEEL WINE STORAGE TANK 533 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-124-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,365 GALLON STEEL WINE STORAGE TANK 534 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-125-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,236 GALLON STEEL WINE STORAGE TANK 535 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-126-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,223 GALLON STEEL WINE STORAGE TANK 536 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-127-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,287 GALLON STEEL WINE STORAGE TANK 537 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-128-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,228 GALLON STEEL WINE STORAGE TANK 538 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-129-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,435 GALLON STEEL WINE STORAGE TANK 539 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-130-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,267 GALLON STEEL WINE STORAGE TANK 540 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-131-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,283 GALLON STEEL WINE STORAGE TANK 541 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-132-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,375 GALLON STEEL WINE STORAGE TANK 542 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-133-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,274 GALLON STEEL WINE STORAGE TANK 543 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-134-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,255 GALLON STEEL WINE STORAGE TANK 544 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-135-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,251 GALLON STEEL WINE STORAGE TANK 545 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-136-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,320 GALLON STEEL WINE STORAGE TANK 547 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-137-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,355 GALLON STEEL WINE STORAGE TANK 548 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-138-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,359 GALLON STEEL WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-139-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
55,255 GALLON STEEL WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-140-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
53,906 GALLON STEEL WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-141-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,416 GALLON STEEL WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-142-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,321 GALLON STEEL WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-143-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,440 GALLON STEEL WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-144-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,434 GALLON STEEL WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-145-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
57,581 GALLON STEEL WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-146-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,533 GALLON STEEL WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-147-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,494 GALLON STEEL WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-148-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,338 GALLON STEEL WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-149-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,333 GALLON STEEL WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-150-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,514 GALLON STEEL WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-151-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,418 GALLON STEEL WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-152-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,179 GALLON STEEL WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3366-153-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,258 GALLON STEEL WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-154-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
47,987 GALLON STEEL WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-155-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
57,606 GALLON STEEL WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-156-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
58,694 GALLON STEEL WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-157-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,470 GALLON STEEL WINE STORAGE TANK 589 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-158-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,358 GALLON STEEL WINE STORAGE TANK 590 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-159-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,501 GALLON STEEL WINE STORAGE TANK 591 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-160-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,015 GALLON STEEL WINE STORAGE TANK 592 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-161-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,384 GALLON STEEL WINE STORAGE TANK 593 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-162-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,296 GALLON STEEL WINE STORAGE TANK 594 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-163-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,201 GALLON STEEL WINE STORAGE TANK 595 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-164-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,303 GALLON STEEL WINE STORAGE TANK 596 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-165-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,440 GALLON STEEL WINE STORAGE TANK 597 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-166-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,435 GALLON STEEL WINE STORAGE TANK 598 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-187-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
54,414 GALLON STEEL WINE STORAGE TANK 599 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-168-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,714 GALLON STEEL WINE STORAGE TANK 1007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-169-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,623 GALLON STEEL WINE STORAGE TANK 1008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-170-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,777 GALLON STEEL WINE STORAGE TANK 1009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-171-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,698 GALLON STEEL WINE STORAGE TANK 1010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-172-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,706 GALLON STEEL WINE STORAGE TANK 1011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-173-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,761 GALLON STEEL WINE STORAGE TANK 1012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-174-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,697 GALLON STEEL WINE STORAGE TANK 1013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-175-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
106,667 GALLON STEEL WINE STORAGE TANK 1014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-176-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
104,638 GALLON STEEL WINE STORAGE TANK 1015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-177-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
104,535 GALLON STEEL WINE STORAGE TANK 1016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-178-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
105,276 GALLON STEEL WINE STORAGE TANK 1017 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-179-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
105,111 GALLON STEEL WINE STORAGE TANK 1018 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-180-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
104,613 GALLON STEEL WINE STORAGE TANK 1019 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-181-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
104,513 GALLON STEEL WINE STORAGE TANK 1020 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-182-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
104,531 GALLON STEEL WINE STORAGE TANK 1021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-183-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
101,505 GALLON STEEL WINE STORAGE TANK 1022 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-184-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
101,952 GALLON STEEL WINE STORAGE TANK 1023 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-185-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
101,557 GALLON STEEL WINE STORAGE TANK 1024 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-186-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
100,227 GALLON STEEL WINE STORAGE TANK 1025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-187-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
101,953 GALLON STEEL WINE STORAGE TANK 1026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-188-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
100,811 GALLON STEEL WINE STORAGE TANK 1027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-189-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,029 GALLON STEEL WINE STORAGE TANK 1031 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-190-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,945 GALLON STEEL WINE STORAGE TANK 1032 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-191-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,027 GALLON STEEL WINE STORAGE TANK 1033 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-192-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,236 GALLON STEEL WINE STORAGE TANK 1034 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-193-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,080 GALLON STEEL WINE STORAGE TANK 1035 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-194-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,110 GALLON STEEL WINE STORAGE TANK 1036 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-195-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,078 GALLON STEEL WINE STORAGE TANK 1037 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-196-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,129 GALLON STEEL WINE STORAGE TANK 1038 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-197-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,993 GALLON STEEL WINE STORAGE TANK 1039 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-198-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,073 GALLON STEEL WINE STORAGE TANK 1040 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-199-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,078 GALLON STEEL WINE STORAGE TANK 1041 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-200-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,100 GALLON STEEL WINE STORAGE TANK 1042 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-201-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,236 GALLON STEEL WINE STORAGE TANK 1043 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-202-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,020 GALLON STEEL WINE STORAGE TANK 1044 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-203-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,078 GALLON STEEL WINE STORAGE TANK 1045 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-204-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,972 GALLON STEEL WINE STORAGE TANK 1046 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-205-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,059 GALLON STEEL WINE STORAGE TANK 1047 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-206-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,019 GALLON STEEL WINE STORAGE TANK 1048 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-207-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,005 GALLON STEEL WINE STORAGE TANK 1049 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-208-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,004 GALLON STEEL WINE STORAGE TANK 1050 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-209-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,753 GALLON STEEL WINE STORAGE TANK 1051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-210-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,558 GALLON STEEL WINE STORAGE TANK 1052 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-211-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,722 GALLON STEEL WINE STORAGE TANK 1053 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-212-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,663 GALLON STEEL WINE STORAGE TANK 1054 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-213-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,748 GALLON STEEL WINE STORAGE TANK 1055 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-214-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,704 GALLON STEEL WINE STORAGE TANK 1056 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-215-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,827 GALLON STEEL WINE STORAGE TANK 1075 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-216-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,109 GALLON STEEL WINE STORAGE TANK 1076 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-217-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,937 GALLON STEEL WINE STORAGE TANK 1077 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-218-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,929 GALLON STEEL WINE STORAGE TANK 1078 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-219-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,086 GALLON STEEL WINE STORAGE TANK 1081 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-220-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,871 GALLON STEEL WINE STORAGE TANK 1082 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-221-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,981 GALLON STEEL WINE STORAGE TANK 1083 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-222-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,831 GALLON STEEL WINE STORAGE TANK 1084 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-223-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,549 GALLON STEEL WINE STORAGE TANK 1085 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-224-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,252 GALLON STEEL WINE STORAGE TANK 1086 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-225-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,708 GALLON STEEL WINE STORAGE TANK 1087 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-226-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,859 GALLON STEEL WINE STORAGE TANK 1088 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-227-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,725 GALLON STEEL WINE STORAGE TANK 1089 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-228-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,858 GALLON STEEL WINE STORAGE TANK 1090 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-229-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
103,001 GALLON STEEL WINE STORAGE TANK 1091 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-230-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
101,988 GALLON STEEL WINE STORAGE TANK 1092 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-231-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
102,904 GALLON STEEL WINE STORAGE TANK 1093 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-232-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
209,524 GALLON STEEL WINE STORAGE TANK 2006 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-233-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
208,075 GALLON STEEL WINE STORAGE TANK 2007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-234-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
209,055 GALLON STEEL WINE STORAGE TANK 2008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-235-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
209,297 GALLON STEEL WINE STORAGE TANK 2009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-236-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
209,424 GALLON STEEL WINE STORAGE TANK 2010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-237-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
195,597 GALLON STEEL WINE STORAGE TANK 2011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-238-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
196,197 GALLON STEEL WINE STORAGE TANK 2012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-239-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
195,287 GALLON STEEL WINE STORAGE TANK 2013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-240-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
196,616 GALLON STEEL WINE STORAGE TANK 2014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-241-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
195,626 GALLON STEEL WINE STORAGE TANK 2015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-242-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
195,184 GALLON STEEL WINE STORAGE TANK 2016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-243-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,357 GALLON STEEL WINE STORAGE TANK 2021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-244-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,288 GALLON STEEL WINE STORAGE TANK 2023 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-245-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,527 GALLON STEEL WINE STORAGE TANK 2024 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-246-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,195 GALLON STEEL WINE STORAGE TANK 2025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-247-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,318 GALLON STEEL WINE STORAGE TANK 2026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-248-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,233 GALLON STEEL WINE STORAGE TANK 2027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-249-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
217,150 GALLON STEEL WINE STORAGE TANK 2028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-250-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
211,246 GALLON STEEL WINE STORAGE TANK 2029 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-251-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
210,669 GALLON STEEL WINE STORAGE TANK 2030 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-252-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
206,577 GALLON STEEL WINE STORAGE TANK 2031 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-253-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
206,223 GALLON STEEL WINE STORAGE TANK 2032 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3388-254-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
203,717 GALLON STEEL WINE STORAGE TANK 2033 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-255-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
203,012 GALLON STEEL WINE STORAGE TANK 2034 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-256-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
213,038 GALLON STEEL WINE STORAGE TANK 2035 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-257-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
211,045 GALLON STEEL WINE STORAGE TANK 2036 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-258-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
211,938 GALLON STEEL WINE STORAGE TANK 2037 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-259-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
212,405 GALLON STEEL WINE STORAGE TANK 2038 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-260-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
212,689 GALLON STEEL WINE STORAGE TANK 2050 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-261-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
212,224 GALLON STEEL WINE STORAGE TANK 2051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-262-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
212,274 GALLON STEEL WINE STORAGE TANK 2075 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-263-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
211,289 GALLON STEEL WINE STORAGE TANK 2076 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-264-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,531 GALLON STEEL WINE STORAGE TANK 3000 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-265-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
330,882 GALLON STEEL WINE STORAGE TANK 3001 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-266-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
333,256 GALLON STEEL WINE STORAGE TANK 3002 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-267-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
332,732 GALLON STEEL WINE STORAGE TANK 3003 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-268-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
334,614 GALLON STEEL WINE STORAGE TANK 3004 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-269-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
332,570 GALLON STEEL WINE STORAGE TANK 3005 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-270-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,846 GALLON STEEL WINE STORAGE TANK 3006 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-271-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
332,780 GALLON STEEL WINE STORAGE TANK 3007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-272-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
326,505 GALLON STEEL WINE STORAGE TANK 3008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-273-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
324,766 GALLON STEEL WINE STORAGE TANK 3009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-274-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
330,499 GALLON STEEL WINE STORAGE TANK 3010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-275-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
329,834 GALLON STEEL WINE STORAGE TANK 3011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-276-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,575 GALLON STEEL WINE STORAGE TANK 3012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-277-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
326,509 GALLON STEEL WINE STORAGE TANK 3013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-278-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,892 GALLON STEEL WINE STORAGE TANK 3014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-279-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,851 GALLON STEEL WINE STORAGE TANK 3015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-280-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,442 GALLON STEEL WINE STORAGE TANK 3016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-281-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,094 GALLON STEEL WINE STORAGE TANK 3017 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-282-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
329,572 GALLON STEEL WINE STORAGE TANK 3018 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-283-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,636 GALLON STEEL WINE STORAGE TANK 3019 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-284-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,944 GALLON STEEL WINE STORAGE TANK 3020 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-285-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,260 GALLON STEEL WINE STORAGE TANK 3025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-286-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,301 GALLON STEEL WINE STORAGE TANK 3026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-287-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,052 GALLON STEEL WINE STORAGE TANK 3027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-288-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,755 GALLON STEEL WINE STORAGE TANK 3028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-289-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
330,554 GALLON STEEL WINE STORAGE TANK 3029 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-290-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,579 GALLON STEEL WINE STORAGE TANK 3051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-291-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
328,382 GALLON STEEL WINE STORAGE TANK 3052 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-292-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,410 GALLON STEEL WINE STORAGE TANK 3053 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-293-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
326,814 GALLON STEEL WINE STORAGE TANK 3057 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-294-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
328,639 GALLON STEEL WINE STORAGE TANK 3058 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-295-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
328,424 GALLON STEEL WINE STORAGE TANK 3059 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-296-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,428 GALLON STEEL WINE STORAGE TANK 3062 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-297-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,785 GALLON STEEL WINE STORAGE TANK 3063 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-298-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
326,855 GALLON STEEL WINE STORAGE TANK 3064 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-299-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
326,459 GALLON STEEL WINE STORAGE TANK 3066 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-300-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
328,662 GALLON STEEL WINE STORAGE TANK 3067 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-301-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
329,465 GALLON STEEL WINE STORAGE TANK 3068 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-302-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,156 GALLON STEEL WINE STORAGE TANK 3069 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-303-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,222 GALLON STEEL WINE STORAGE TANK 3070 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-304-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,869 GALLON STEEL WINE STORAGE TANK 3071 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-305-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,460 GALLON STEEL WINE STORAGE TANK 3072 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [Dlstrict Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-306-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
328,335 GALLON STEEL WINE STORAGE TANK 3073 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-307-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,126 GALLON STEEL WINE STORAGE TANK 3074 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-308-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
330,974 GALLON STEEL WINE STORAGE TANK 3075 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-309-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,276 GALLON STEEL WINE STORAGE TANK 3076 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3388-310-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
331,138 GALLON STEEL WINE STORAGE TANK 3077 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-311-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,756 GALLON STEEL WINE STORAGE TANK 3078 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-312-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
327,356 GALLON STEEL WINE STORAGE TANK 3081 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-313-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
328,081 GALLON STEEL WINE STORAGE TANK 3082 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-314-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,601 GALLON STEEL WINE STORAGE TANK 3501 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-315-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,302 GALLON STEEL WINE STORAGE TANK 3502 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-316-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,439 GALLON STEEL WINE STORAGE TANK 3503 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-317-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,185 GALLON STEEL WINE STORAGE TANK 3504 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-318-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,204 GALLON STEEL WINE STORAGE TANK 3505 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-319-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,078 GALLON STEEL WINE STORAGE TANK 3506 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-320-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,379 GALLON STEEL WINE STORAGE TANK 3507 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-321-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,385 GALLON STEEL WINE STORAGE TANK 3508 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-322-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,959 GALLON STEEL WINE STORAGE TANK 3509 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-323-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,710 GALLON STEEL WINE STORAGE TANK 3510 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-324-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,089 GALLON STEEL WINE STORAGE TANK 3511 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-325-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,613 GALLON STEEL WINE STORAGE TANK 3512 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-326-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,648 GALLON STEEL WINE STORAGE TANK 3513 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-327-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,338 GALLON STEEL WINE STORAGE TANK 3514 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-328-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,338 GALLON STEEL WINE STORAGE TANK 3515 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-329-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,116 GALLON STEEL WINE STORAGE TANK 3516 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-330-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
351,269 GALLON STEEL WINE STORAGE TANK 3517 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-331-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,211 GALLON STEEL WINE STORAGE TANK 3518 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-332-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,057 GALLON STEEL WINE STORAGE TANK 3519 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-333-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,881 GALLON STEEL WINE STORAGE TANK 3520 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-334-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,809 GALLON STEEL WINE STORAGE TANK 3521 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-335-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,974 GALLON STEEL WINE STORAGE TANK 3522 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-336-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,648 GALLON STEEL WINE STORAGE TANK 3523 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-337-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,307 GALLON STEEL WINE STORAGE TANK 3524 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-338-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,324 GALLON STEEL WINE STORAGE TANK 3525 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-339-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,854 GALLON STEEL WINE STORAGE TANK 3526 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-340-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,252 GALLON STEEL WINE STORAGE TANK 3527 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-341-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,223 GALLON STEEL WINE STORAGE TANK 3528 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-342-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,692 GALLON STEEL WINE STORAGE TANK 3529 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-343-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,224 GALLON STEEL WINE STORAGE TANK 3530 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-344-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
348,985 GALLON STEEL WINE STORAGE TANK 3531 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-345-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,057 GALLON STEEL WINE STORAGE TANK 3532 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-346-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,790 GALLON STEEL WINE STORAGE TANK 3533 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-347-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
347,726 GALLON STEEL WINE STORAGE TANK 3534 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-348-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,789 GALLON STEEL WINE STORAGE TANK 3535 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-349-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,320 GALLON STEEL WINE STORAGE TANK 3536 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-350-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,880 GALLON STEEL WINE STORAGE TANK 3537 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-351-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,167 GALLON STEEL WINE STORAGE TANK 3538 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-352-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,082 GALLON STEEL WINE STORAGE TANK 3539 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-353-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,054 GALLON STEEL WINE STORAGE TANK 3543 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-354-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,281 GALLON STEEL WINE STORAGE TANK 3544 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-355-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,531 GALLON STEEL WINE STORAGE TANK 3545 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-356-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
303,600 GALLON STEEL WINE STORAGE TANK 3546 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-357-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
348,063 GALLON STEEL WINE STORAGE TANK 3547 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-358-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
348,449 GALLON STEEL WINE STORAGE TANK 3548 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-359-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,971 GALLON STEEL WINE STORAGE TANK 3549 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-360-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,594 GALLON STEEL WINE STORAGE TANK 3553 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-361-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,828 GALLON STEEL WINE STORAGE TANK 3554 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-362-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,001 GALLON STEEL WINE STORAGE TANK 3555 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-363-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,708 GALLON STEEL WINE STORAGE TANK 3556 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-364-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,022 GALLON STEEL WINE STORAGE TANK 3557 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-365-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,090 GALLON STEEL WINE STORAGE TANK 3558 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-366-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,205 GALLON STEEL WINE STORAGE TANK 3559 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-367-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,848 GALLON STEEL WINE STORAGE TANK 3560 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-368-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,564 GALLON STEEL WINE STORAGE TANK 3561 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3388-369-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
351,018 GALLON STEEL WINE STORAGE TANK 3562 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-370-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,843 GALLON STEEL WINE STORAGE TANK 3563 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-371-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,438 GALLON STEEL WINE STORAGE TANK 3564 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-372-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,226 GALLON STEEL WINE STORAGE TANK 3565 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-373-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,861 GALLON STEEL WINE STORAGE TANK 3586 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-374-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,369 GALLON STEEL WINE STORAGE TANK 3567 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-375-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,661 GALLON STEEL WINE STORAGE TANK 3568 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-376-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,165 GALLON STEEL WINE STORAGE TANK 3569 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-377-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,615 GALLON STEEL WINE STORAGE TANK 3570 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-378-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,771 GALLON STEEL WINE STORAGE TANK 3571 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-379-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,105 GALLON STEEL WINE STORAGE TANK 3572 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-380-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,835 GALLON STEEL WINE STORAGE TANK 3573 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-381-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,276 GALLON STEEL WINE STORAGE TANK 3574 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-382-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,965 GALLON STEEL WINE STORAGE TANK 3575 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-383-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
351,385 GALLON STEEL WINE STORAGE TANK 3576 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-384-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,126 GALLON STEEL WINE STORAGE TANK 3577 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-385-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,181 GALLON STEEL WINE STORAGE TANK 3578 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-386-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,683 GALLON STEEL WINE STORAGE TANK 3579 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-387-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,293 GALLON STEEL WINE STORAGE TANK 3580 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-388-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
350,206 GALLON STEEL WINE STORAGE TANK 3581 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-389-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
349,501 GALLON STEEL WINE STORAGE TANK 3582 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-390-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
583,760 GALLON STEEL WINE STORAGE TANK 6000 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-391-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
640,153 GALLON STEEL WINE STORAGE TANK 6001 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-392-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
644,899 GALLON STEEL WINE STORAGE TANK 6002 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-393-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
646,891 GALLON STEEL WINE STORAGE TANK 6003 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-394-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
650,818 GALLON STEEL WINE STORAGE TANK 6004 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-395-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
644,070 GALLON STEEL WINE STORAGE TANK 6005 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-396-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
635,284 GALLON STEEL WINE STORAGE TANK 6006 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-397-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
641,475 GALLON STEEL WINE STORAGE TANK 6007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-398-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
645,661 GALLON STEEL WINE STORAGE TANK 8008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-399-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
637,719 GALLON STEEL WINE STORAGE TANK 6009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-400-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
636,151 GALLON STEEL WINE STORAGE TANK 6010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-401-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
637,048 GALLON STEEL WINE STORAGE TANK 6011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to thls permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-402-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
647,528 GALLON STEEL WINE STORAGE TANK 6012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-403-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
646,915 GALLON STEEL WINE STORAGE TANK 6013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-404-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
646,878 GALLON STEEL WINE STORAGE TANK 6014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-405-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
646,397 GALLON STEEL WINE STORAGE TANK 6015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-406-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
647,449 GALLON STEEL WINE STORAGE TANK 6016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-407-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
635,052 GALLON STEEL WINE STORAGE TANK 6020 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-408-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
636,212 GALLON STEEL WINE STORAGE TANK 6021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-409-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,621 GALLON STEEL WINE STORAGE TANK 6022 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-410-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
642,060 GALLON STEEL WINE STORAGE TANK 6023 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-411-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,664 GALLON STEEL WINE STORAGE TANK 6024 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-412-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,995 GALLON STEEL WINE STORAGE TANK 6025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-413-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
642,199 GALLON STEEL WINE STORAGE TANK 6026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-414-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,593 GALLON STEEL WINE STORAGE TANK 6027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-415-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,320 GALLON STEEL WINE STORAGE TANK 6028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-416-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,922 GALLON STEEL WINE STORAGE TANK 6029 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permlt

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-417-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
644,914 GALLON STEEL WINE STORAGE TANK 6030 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-418-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
648,848 GALLON STEEL WINE STORAGE TANK 6031 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-419-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
646,628 GALLON STEEL WINE STORAGE TANK 6032 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-420-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
637,563 GALLON STEEL WINE STORAGE TANK 6050 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-421-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
638,193 GALLON STEEL WINE STORAGE TANK 6051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-422-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
640,325 GALLON STEEL WINE STORAGE TANK 6052 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-423-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
636,046 GALLON STEEL WINE STORAGE TANK 6053 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-424-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,029,137 GALLON STEEL WINE STORAGE TANK 1M WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-425-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C1

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-426-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C2

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-427-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C3

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-428-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C4

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-429-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C5

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-430-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C6

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-467-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
2,566,123 GALLON UNDERGROUND WINE CELLAR WITH 624 WOOD STORAGE TANKS SERVED BY 2 INTAKE AND 2 EXHAUST VENTILATION PORTS

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-469-3 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
METAL PARTS AND PRODUCTS COATING OPERATION SERVED BY A CLOSED AFC FINISHING SYSTEMS, MODEL ECONOMY CROSSFLO PAINT BOOTH, WITH DRY FILTERS, HVLP SPRAY GUNS AND ENCLOSED SPRAY GUN CLEANING SYSTEM

PERMIT UNIT REQUIREMENTS

1. VOC emissions from this metal parts and products coating operation shall not exceed 7.6 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
2. VOC emissions from this metal parts and products coating operation shall not exceed 633 pounds in any one calendar year. [District Rule 2201] Federally Enforceable Through Title V Permit
3. Particulate matter (PM10) emissions from this metal parts and products coating operation shall not exceed 2.7 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Only HVLP, electrostatic, electrodeposition, flow, roll, dip, brush or continuous coating application equipment shall be used, and the application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4603] Federally Enforceable Through Title V Permit
5. For air-dried general coating, VOC content in the coatings as applied (excluding water and exempt compounds) shall not exceed 300 g/l (2.5 lb/gal). [District Rules 2201 and 4603] Federally Enforceable Through Title V Permit
6. Permittee shall not use materials with a VOC content greater than 25 g/l (0.21 lb/gallon) for spray equipment clean-up unless an enclosed system, or equipment proven to be equally effective at controlling emissions, is used for cleaning. [District Rule 4603] Federally Enforceable Through Title V Permit
7. VOC content of solvents used shall not exceed any of the following limits: product cleaning during manufacturing process or surface preparation for coating application: 25 g/l (0.21 lb/gal), repair and maintenance cleaning:25 g/l (0.21 lb/dal), and cleaning of coating application equipment: 25 g/l (0.21 lb/gal) unless any of these cleaning operations are performed with an APCO-approved VOC emissions control system that meets the requirements of Section 5.5. [District Rule 4603] Federally Enforceable Through Title V Permit
8. The permittee shall not use VOC-containing materials to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose spray guns, cups, nozzles, bowls, and other parts during washing, rinsing and draining procedures, and it must be used according to the manufacture's recommendations and must be closed when not in use. [District Rule 4603] Federally Enforceable Through Title V Permit
9. The permittee shall dispose the fresh or spent solvents, waste solvent cleaning material such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4603] Federally Enforceable Through Title V Permit
10. Permittee shall maintain daily and annual records of VOC emissions. The annual record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

11. Permittee shall maintain daily records of the following: quantity and type of coatings and solvents used, mix ratios (by volume) of components added to each coating, volume of coatings applied, VOC content of each coating as applied, and VOC content of each solvent. [District Rule 4603] Federally Enforceable Through Title V Permit
12. Permittee shall keep the following records for solvent cleaning activities: manufacturer's product data sheet or MSDS of solvents used, VOC content of solvents in g/l or lb/gal, and the type of cleaning activity for which each solvent is used. [District Rule 4603] Federally Enforceable Through Title V Permit
13. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4603] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-470-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-471-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-472-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-473-2 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
4. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
8. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
9. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-474-1 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
ABRASIVE BLASTING OPERATION WITH A CLEMCO MODEL K8389.5CBLASTING UNIT AND A 25-LB BLASTING POT.

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [Rule 4102]
2. The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
3. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
4. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
5. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
6. Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
7. Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
8. Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]
9. PM10 emissions shall not exceed 613 pounds per year. [District Rule 4102]
10. Records of the quantity of abrasive blasting material used and the dates of use shall be maintained. [District Rule 4102]
11. All records required by this permit shall be retained on-site for a period of at least five years, and shall be made available for District or EPA inspection upon request. [District Rule 4102]

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-475-1 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
ABRASIVE BLASTING OPERATION WITH A KELCO MODEL K106 BLASTING UNIT AND AN 800-LB BLASTING POT.

PERMIT UNIT REQUIREMENTS

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [Rule 4102]
2. The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
3. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
4. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
5. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
6. Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
7. Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
8. Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]
9. PM10 emissions shall not exceed 64,509 pounds per year. [District Rule 4102]
10. Records of the quantity of abrasive blasting material used and the dates of use shall be maintained. [District Rule 4102]
11. All records required by this permit shall be retained on-site for a period of at least five years, and shall be made available for District or EPA inspection upon request. [District Rule 4102]

San Joaquin Valley
Air Pollution Control District

PERMIT UNIT: N-3386-485-1 **EXPIRATION DATE:** 10/31/2019

EQUIPMENT DESCRIPTION:
333,614 GALLON, INSULATED, STEEL ENCLOSED TOP, WINE STORAGE TANK (#3079) EQUIPPED WITH PRESSURE/VACUUM RELIEF VALVE

PERMIT UNIT REQUIREMENTS

1. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Ethanol content of wine stored in this tank shall not exceed 21 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The daily wine storage throughput of this tank shall not exceed 333,614 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The annual wine storage throughput of this tank, calculated on a 12 month rolling basis, shall not exceed 8,006,736 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
8. The permittee shall maintain the following records: a) the ethanol concentration in volume percent of the wine stored, b) the maximum temperature of the wine stored, c) the daily throughput, and d) the calculated 12 month rolling wine storage throughput rate (gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
9. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070 and 2201] Federally Enforceable Through Title V Permit