



MAY 22 2019

Mr. Mike Hauptman  
QG Printing, LLC  
N61 W23044 Harry's Way  
Sussex, WI 53089-3995

**Re: Notice of Final Action - Title V Permit Renewal**  
**Facility Number: N-1646**  
**Project Number: N-1173711**

Dear Mr. Hauptman:

The District has issued the Final Renewed Title V Permit for QG Printing, LLC (see enclosure). The preliminary decision for this project was made on 4/1/19. No comments were received subsequent to the District preliminary decision.

The public notice for issuance of the Final Title V Permit will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Sincerely,



Arnaud Marjollet  
Director of Permit Services

Enclosures

cc: Brian Clerico, CARB (w/enclosure) via email  
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Samir Sheikh  
Executive Director/Air Pollution Control Officer

---

Northern Region  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



Facility # N-1646  
QUAD/GRAPHICS HOLDING COMPANY  
N61 W23044 HARRY'S WAY  
SUSSEX, WI 53089-3995

### Notice of Permit Issuance

The enclosed permit unit requirements authorize the operation of the equipment as described. These permit unit requirements supersede any and all previous permits for the specified equipment.\* Please insert these documents into the Facility Permit to Operate, and post copies on or near the equipment as required by District Rule 2010.

Please contact any of our Small Business Assistance (SBA) staff at the numbers below if you have any questions:

Modesto: (209) 557-6446  
Fresno: (559) 230-5888  
Bakersfield: (661) 392-5665

\*Failure to comply with the permit unit requirements may result in enforcement action.

**Samir Sheikh**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



# Permit to Operate

**FACILITY:** N-1646

**EXPIRATION DATE:** 09/30/2023

**LEGAL OWNER OR OPERATOR:**  
**MAILING ADDRESS:**

QUAD/GRAPHICS HOLDING COMPANY  
N61 W23044 HARRY'S WAY  
SUSSEX, WI 53089-3995

**FACILITY LOCATION:**

2201 COOPER AVE  
MERCED, CA 95348

**FACILITY DESCRIPTION:**

COMMERCIAL PRINTING

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

**Samir Sheikh**  
Executive Director / APCO

**Arnaud Marjollet**  
Director of Permit Services

# San Joaquin Valley Air Pollution Control District

FACILITY: N-1646-0-4

EXPIRATION DATE: 09/30/2023

## FACILITY-WIDE REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. Total Volatile Organic Compound (VOC) emissions from the entire stationary source (excluding permit unit N-1646-34) shall not exceed 85,994 pounds in any rolling 12 consecutive month period. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The permittee shall maintain monthly records of the total VOC emissions from the entire stationary source (excluding permit unit N-1646-34). These records shall be used to determine compliance with the rolling 12 consecutive month VOC limit. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
5. Total NOx emissions from the entire stationary source (excluding permit unit N-1646-34) shall not exceed 150 pounds during any one day. A daily log of fuel usage for each dryer and for each regenerative thermal oxidizer shall be maintained on the premises. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
7. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
8. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
9. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
10. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: QUAD/GRAPHICS HOLDING COMPANY  
Location: 2201 COOPER AVE, MERCED, CA 95348  
N-1646-0-4 May 18 2019 8:44AM - TORID

11. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
12. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
14. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
15. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
16. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
17. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
18. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
19. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
20. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
21. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
22. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
23. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

24. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
25. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
26. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
27. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
28. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
29. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
30. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
31. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
32. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
33. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
34. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
35. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
36. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
37. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

38. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit
39. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
40. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
41. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
42. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
43. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
44. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
45. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
46. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin August 1 of every year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1646-2-6

**EXPIRATION DATE:** 09/30/2023

**EQUIPMENT DESCRIPTION:**

PAPER SCRAP HANDLING SYSTEM SERVING THE PAPER SLITTERS ON PRINTING PRESS #524 & #531, INSERTER BINDERIES #733, #734, #735, #737, #738 AND #739 AND THE BINDERIES #760, #761, #762, #763, #764 AND #765. THE PAPER SCRAP FROM ALL THESE UNITS IS CONVEYED PNEUMATICALLY TO FIVE MAREN BALERS (A, B, C, D AND E) EACH SERVED BY ITS OWN SOCK FILTER SYSTEM

## PERMIT UNIT REQUIREMENTS

---

1. All ducting and control equipment shall be in good working order to prevent fugitive particulate emissions. [District Rule 2201] Federally Enforceable Through Title V Permit
2. A spare set of sock filters shall be maintained on the premises at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
3. Visible emissions from each sock filter serving the baler shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Material removed from sock filters shall be disposed of in a manner preventing entrainment into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
5. PM10 emissions from each sock filter system exhaust shall not exceed 0.00234 pounds per ton of total scrap material collected by the Maren balers. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The combined amount of scrap material collected by the Maren balers shall not exceed 43 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Each sock filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Records of dust collector system maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. The permittee shall maintain daily records of the amount of scrap collected by the Maren balers (tons/day). [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be retained for a minimum of 5 years, and shall be made available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1646-6-10

**EXPIRATION DATE:** 09/30/2023

## **EQUIPMENT DESCRIPTION:**

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF ONE HARRIS MODEL 1000B HEATSET OFFSET LITHOGRAPHIC PRINTING PRESS #514 SERVED BY TWO TEC NATURAL GAS FIRED DRYING OVENS (TOTAL OF 1.4 MMBTU/HR) ALL VENTED TO THE 9.5 MMBTU/HR MEGTEC ENTERPRISE II REGENERATIVE THERMAL OXIDIZER EQUIPPED WITH MAXON KINEDIZER LE BURNER SYSTEM OR 18 MMBTU/HR REECO RETHERM MODEL E REGENERATIVE THERMAL OXIDIZER

## **PERMIT UNIT REQUIREMENTS**

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The drying ovens and regenerative thermal oxidizers shall be fired exclusively on natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The drying oven serving the heatset offset printing press shall be maintained under negative pressure and shall be vented through the thermal oxidizer at all times except during periods of start-up while the dryer is being air purged. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The collection system for the dryer exhaust and for all fugitive VOC emissions shall have a minimum capture efficiency of 90%. [District Rules 2201 and 4607, 5.6] Federally Enforceable Through Title V Permit
5. Each thermal oxidizer shall be operated with a minimum VOC destruction efficiency of 98%. [District Rules 2201 and 4607, 5.6] Federally Enforceable Through Title V Permit
6. The VOC content of organic solvents used to perform surface preparation or cleanup shall not exceed the VOC content limits specified in Table 7 of Rule 4607 (Graphic Arts and Paper, Film, Foil, and Fabric Coatings - 12/18/08 version). [District Rule 4607, 5.8.1] Federally Enforceable Through Title V Permit
7. For a permittee using any solvent containing more than 25 g/L (0.21 lb/gal) of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: (1) wipe cleaning; or (2) application of solvent from hand-held spray bottles from which solvents are dispensed without a propellant-induced force; or (3) non-atomized solvent flow method in which the cleaning solvent is collected in a container or a collection system which is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container; or (4) solvent flushing method in which the cleaning solvent is discharged into a container that is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container. The discharged solvent from the equipment must be collected into containers without atomizing into the open air. The solvent may be flushed through the system by air or hydraulic pressure, or by pumping. [District Rule 4607, 5.8.3] Federally Enforceable Through Title V Permit
8. For a permittee using any solvent containing more than 25 g/L (0.21 lb/gal) of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles or containers which solvents are dispensed without a propellant-induced force. [District Rule 4607, 5.8.4] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: QUAD/GRAPHICS HOLDING COMPANY  
Location: 2201 COOPER AVE, MERCED, CA 95348

N-1646-6-10 May 16 2019 8:44AM - TORID

9. For a permittee using any solvent containing more than 25 g/L (0.21 lb/gal) of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose spray guns, cups, nozzles, bowls, and other parts during washing, rinsing, draining procedures, and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607, 5.8.5] Federally Enforceable Through Title V Permit
10. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607, 5.9] Federally Enforceable Through Title V Permit
11. The permittee shall properly use and operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rule 4607, 5.10] Federally Enforceable Through Title V Permit
12. The Volatile Organic Compound (VOC) content of the printing inks as applied (excluding water and exempt compounds) shall be less than 45% by weight and the VOC content of the fountain solutions shall be less than 15% by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. VOC emissions from the printing inks and solvents shall not exceed 37.5 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
14. NOx emissions from the drying oven shall not exceed 4.3 ppmvd @ 19% O2 (referenced as NO2). [District Rule 2201] Federally Enforceable Through Title V Permit
15. CO emissions from the drying oven shall not exceed 25.0 ppmvd @ 19% O2. [District Rule 2201] Federally Enforceable Through Title V Permit
16. Emissions from the drying oven shall not exceed any of the following limits: 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
17. NOx emissions from the regenerative thermal oxidizers shall not exceed 4.3 ppmvd @ 19% O2 (referenced as NO2). [District Rule 2201] Federally Enforceable Through Title V Permit
18. CO emissions from the regenerative thermal oxidizers shall not exceed 25.0 ppmvd @ 19% O2. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Emissions from the regenerative thermal oxidizers shall not exceed any of the following limits: 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
20. Source testing to demonstrate compliance with the VOC destruction efficiency of each regenerative thermal oxidizer shall be conducted on an annual basis. [District Rule 2201] Federally Enforceable Through Title V Permit
21. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified 30 days prior to any compliance source test, and a source test plan must be submitted for approval 15 days prior to testing. [District Rule 1081, 7.1] Federally Enforceable Through Title V Permit
22. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081, 7.3] Federally Enforceable Through Title V Permit
23. Source testing to determine the destruction efficiency of each regenerative thermal oxidizer shall be conducted using EPA Methods 2, 2A, or 2D for measuring flow rates and EPA Methods 25, 25A, or 25C for measuring total gaseous organic concentrations at the inlet and outlet of the control device. [District Rule 4607, 6.4.7] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

24. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607, 6.1.1] Federally Enforceable Through Title V Permit
25. The permittee shall record on a daily basis, the type and amount of each coating, adhesive, fountain solution, wash primer, and solvent used. [District Rule 4607, 6.1.3] Federally Enforceable Through Title V Permit
26. The permittee shall record on a monthly basis, the type and amount of all inks used and their VOC content and densities, using one of the methods listed in Rule 4607, Section 6.1.2.1 (12/18/08 version of Rule 4607). [District Rule 4607, 6.1.2.1] Federally Enforceable Through Title V Permit
27. The permittee shall record on a monthly basis, the type and amount of each ink, coating, adhesive, wash primer, and solvent used. [District Rule 4607, 6.1.2.2] Federally Enforceable Through Title V Permit
28. The permittee shall record on a monthly basis, the type, amount and percent VOC by volume of each fountain solution used. [District Rule 4607, 6.1.2.3] Federally Enforceable Through Title V Permit
29. The permittee shall maintain daily records of the following: (1). Quantity of VOC emitted (in pounds) from this printing press; (2). Quantity of natural gas used (in cubic feet) by each drying oven and each thermal oxidizer at the facility; (3). Operational temperature of the regenerative thermal oxidizer. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
30. All records shall be maintained and retained on-site for a minimum of five years, and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607] Federally Enforceable Through Title V Permit
31. Each regenerative thermal oxidizer shall be equipped with an operational continuous temperature monitoring and recording instrument. [District , Rules 2201, 2520, 9.3.2, and 40 CFR Part 64] Federally Enforceable Through Title V Permit
32. Each regenerative thermal oxidizer shall be operated at a minimum temp. of 1400 deg. F. The regenerative thermal oxidizer shall be preheated to 1400 deg. F prior to the start-up of the heatset offset printing operation. Upon determining an excursion from this requirement, the permittee shall investigate the excursion and take corrective action to minimize emissions and prevent recurrence of the excursion as expeditiously as practicable. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
33. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR part 64] Federally Enforceable Through Title V Permit
34. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR part 64] Federally Enforceable Through Title V Permit
35. If the District or EPA determine that a Quality improvement plan is required under 40 CFR part 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR Part 64.8. [40 CFR Part 64] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1646-19-7

**EXPIRATION DATE:** 09/30/2023

**EQUIPMENT DESCRIPTION:**

PAPER SLITTING SYSTEM SERVING PRINTING PRESSES #507 AND #520, AND TWO HARRIS MODEL RG321 BINDER SAWS (BINDERS #713 AND #714). THE PAPER SCRAP FROM THESE UNITS IS CONVEYED PNEUMATICALLY TO A BALE MASTER BALER SERVED BY A MAC MODEL 44RPT 280 BAGHOUSE SYSTEM

## PERMIT UNIT REQUIREMENTS

---

1. All ducting and control equipment shall be in good working order to prevent fugitive particulate emissions. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The baghouse exhaust fan(s) shall be in operation during paper scrap conveying operation. [District Rule 2201] Federally Enforceable Through Title V Permit
3. PM10 emissions from the Mac baghouse exhaust shall not exceed 0.000234 pounds per ton of total scrap material collected by the Bale Master baler. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The amount of scrap material collected by the Bale Master baler shall not exceed 2.4 tons in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The baghouse shall operate at all times with a minimum differential pressure of 1 inches water column and a maximum differential pressure of 6 inches water column. [District Rule 2201]
7. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Material removed from baghouse shall be disposed of in a manner preventing entrainment into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
10. There shall be no visible emissions from the dust control system. [District Rules 2201 and 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Visible emissions from the baghouse shall be evaluated using EPA method 22 for a period of at least 6 minutes at least once during each day that the baghouse is operated. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
13. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

14. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
15. The permittee shall maintain on a daily basis, records of visible emissions from the baghouse, the amount of scrap collected in tons/day, and pressure differential gauge reading. [District Rules 2201 and 2520, 9.3.2] Federally Enforceable Through Title V Permit
16. All records shall be retained for a minimum of 5 years, and shall be made available for District inspection upon request. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1646-23-10

**EXPIRATION DATE:** 09/30/2023

**EQUIPMENT DESCRIPTION:**

GRAPHIC ARTS PRINTING OPERATION CONSISTING OF ONE HEIDELBERG HARRIS MODEL M-1000B HEATSET OFFSET PRINTING PRESS #519 SERVED BY ONE 9.2 MMBTU/HR THERMAL ELECTRON MODEL A3406E DRYING OVEN VENTED TO THE 9.5 MMBTU/HR MEGTEC ENTERPRISE II REGENERATIVE THERMAL OXIDIZER EQUIPPED WITH MAXON KINEDIZER LE BURNER SYSTEM OR 18 MMBTU/HR REECO RETHERM MODEL E REGENERATIVE THERMAL OXIDIZER

## PERMIT UNIT REQUIREMENTS

---

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The drying ovens and regenerative thermal oxidizers shall be fired exclusively on natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The drying ovens serving the heatset offset printing press shall be maintained under negative pressure and shall be vented through the regenerative thermal oxidizer at all times except during periods of start-up while the dryers are being air purged. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The collection system for the dryer exhausts and for all fugitive VOC emissions shall have a minimum capture efficiency of 90%. [District Rules 2201 and 4607, 5.6] Federally Enforceable Through Title V Permit
5. Each regenerative thermal oxidizer shall be operated with a minimum VOC destruction efficiency of 98%. [District Rules 2201 and 4607, 5.6] Federally Enforceable Through Title V Permit
6. The VOC content of organic solvents used to perform surface preparation or cleanup shall not exceed the VOC content limits specified in Table 7 of Rule 4607 (Graphic Arts and Paper, Film, Foil, and Fabric Coatings - 12/18/08 version). [District Rule 4607, 5.8.1] Federally Enforceable Through Title V Permit
7. For a permittee using any solvent containing more than 25 g/L (0.21 lb/gal) of VOC for organic solvent cleaning, cleaning activities shall be by one of the following methods: (1) wipe cleaning; or (2) application of solvent from hand-held spray bottles from which solvents are dispensed without a propellant-induced force; or (3) non-atomized solvent flow method in which the cleaning solvent is collected in a container or a collection system which is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container; or (4) solvent flushing method in which the cleaning solvent is discharged into a container that is closed except for solvent collection openings and, if necessary, openings to avoid excessive pressure build-up inside the container. The discharged solvent from the equipment must be collected into containers without atomizing into the open air. The solvent may be flushed through the system by air or hydraulic pressure, or by pumping. [District Rule 4607, 5.8.3] Federally Enforceable Through Title V Permit
8. For a permittee using any solvent containing more than 25 g/L (0.21 lb/gal) of VOC for organic solvent cleaning, solvent shall not be atomized into the open air unless it is vented to a VOC control device. This provision shall not apply to operations where roller or blanket wash is applied automatically and the cleaning of the nozzle tips of automated spray equipment systems, except for robotic systems, and cleaning with nonpropellant-induced, hand-held spray bottles or containers which solvents are dispensed without a propellant-induced force. [District Rule 4607, 5.8.4] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. For a permittee using any solvent containing more than 25 g/L (0.21 lb/gal) of VOC for organic solvent cleaning, the permittee shall not use VOC-containing material to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose spray guns, cups, nozzles, bowls, and other parts during washing, rinsing, draining procedures, and it must be used according to manufacturer's recommendations and must be closed when not in use. [District Rule 4607, 5.8.5] Federally Enforceable Through Title V Permit
10. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials, coatings, adhesives, catalysts, thinners, and inks in closed, non-absorbent, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4607, 5.9] Federally Enforceable Through Title V Permit
11. The permittee shall properly use and operate all graphic arts printing technologies as directed and/or specified by the manufacturer of the printer or graphic arts material. [District Rule 4607, 5.10] Federally Enforceable Through Title V Permit
12. The Volatile Organic Compound (VOC) content of the printing inks as applied (excluding water and exempt compounds) shall be less than 45% by weight and the VOC content of the fountain solutions shall be less than 15% by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. VOC emissions from the printing inks and solvents shall not exceed 50.0 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
14. NOx emissions from the drying oven shall not exceed 4.3 ppmvd @ 19% O2 (referenced as NO2). [District Rules 2201 & 4309, 5.2] Federally Enforceable Through Title V Permit
15. CO emissions from the drying oven shall not exceed 25.0 ppmvd @ 19% O2. [District Rules 2201 & 4309, 5.2] Federally Enforceable Through Title V Permit
16. Emissions from the drying oven shall not exceed any of the following limits: 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
17. NOx emissions from the regenerative thermal oxidizers shall not exceed 4.3 ppmvd @ 19% O2 (referenced as NO2). [District Rules 2201 & 4309, 5.2] Federally Enforceable Through Title V Permit
18. CO emissions from the regenerative thermal oxidizers shall not exceed 25.0 ppmvd @ 19% O2. [District Rules 2201 & 4309, 5.2] Federally Enforceable Through Title V Permit
19. Emissions from the regenerative thermal oxidizers shall not exceed any of the following limits: 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
20. Source testing to demonstrate compliance with the VOC destruction efficiency of each regenerative thermal oxidizer shall be conducted on an annual basis. [District Rule 2201] Federally Enforceable Through Title V Permit
21. Source testing to determine the destruction efficiency of each regenerative thermal oxidizer shall be conducted using EPA Methods 2, 2A, or 2D for measuring flow rates and EPA Methods 25, 25A, or 25C for measuring total gaseous organic concentrations at the inlet and outlet of the control device. [District Rule 4607, 6.4.7] Federally Enforceable Through Title V Permit
22. Source testing to measure NOx and CO emissions from the drying ovens shall be conducted at the exhaust of the associated regenerative thermal oxidizer at least once every 24 months. [District Rules 2201 and 4309, 6.3.2] Federally Enforceable Through Title V Permit
23. All test results for NOx and CO shall be reported in ppmv @ 19% O2 (or no correction if measured above 19% O2), corrected to dry stack conditions. [District Rule 4309, 6.3.7] Federally Enforceable Through Title V Permit
24. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis. [District Rule 4309, 6.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

25. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rule 4309, 6.2] Federally Enforceable Through Title V Permit
26. Stack gas oxygen (O<sub>2</sub>) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rule 4309, 6.2] Federally Enforceable Through Title V Permit
27. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4309. [District Rule 4309, 5.5.1 & 5.5.2] Federally Enforceable Through Title V Permit
28. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rule 4309, 5.5.6] Federally Enforceable Through Title V Permit
29. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
30. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
31. The permittee shall monitor and record the stack concentration of NO<sub>x</sub>, CO, and O<sub>2</sub> at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rule 4309, 5.4] Federally Enforceable Through Title V Permit
32. If either the NO<sub>x</sub> or CO concentrations corrected to 19% O<sub>2</sub> (or no correction if measured above 19% O<sub>2</sub>), as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of performing the notification and testing required by this condition. [District Rule 4309, 5.4] Federally Enforceable Through Title V Permit
33. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five readings, evenly spaced out over the 15 consecutive-minute period. [District Rule 4309, 5.4] Federally Enforceable Through Title V Permit
34. The permittee shall maintain records of: (1) the date and time of NO<sub>x</sub>, CO, and O<sub>2</sub> measurements, (2) the O<sub>2</sub> concentration in percent and the measured NO<sub>x</sub> and CO concentrations corrected to 19% O<sub>2</sub> (or no correction if measured above 19% O<sub>2</sub>), (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range [District Rule 4309, 5.4] Federally Enforceable Through Title V Permit
35. Permittee shall maintain a current file of coatings, inks, adhesives, fountain solutions, wash primers, and solvents in use and in storage. The file shall include material safety data sheet (MSDS) or product data sheet showing the material name, manufacturer's name, VOC content as applied, mixing instruction, and density. [District Rule 4607, 6.1.1] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



36. The permittee shall record on a daily basis, the type and amount of each coating, adhesive, fountain solution, wash primer, and solvent used. [District Rule 4607, 6.1.3] Federally Enforceable Through Title V Permit
37. The permittee shall record on a monthly basis, the type and amount of all inks used and their VOC content and densities, using one of the methods listed in Rule 4607, Section 6.1.2.1 (12/18/08 version of Rule 4607). [District Rule 4607, 6.1.2.1] Federally Enforceable Through Title V Permit
38. The permittee shall record on a monthly basis, the type and amount of each ink, coating, adhesive, wash primer, and solvent used. [District Rule 4607, 6.1.2.2] Federally Enforceable Through Title V Permit
39. The permittee shall record on a monthly basis, the type, amount and percent VOC by volume of each fountain solution used. [District Rule 4607, 6.1.2.3] Federally Enforceable Through Title V Permit
40. The permittee shall maintain daily records of the following: (1). Quantity of VOC emitted (in pounds) from this printing press; (2). Quantity of natural gas used (in cubic feet) by each drying oven and each thermal oxidizer at the facility; (3). Operational temperature of each regenerative thermal oxidizer. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
41. All records shall be maintained and retained on-site for a minimum of five years, and shall be made available for District inspection upon request. [District Rules 1070, 2520, and 4607, and 4309] Federally Enforceable Through Title V Permit
42. Each regenerative thermal oxidizer shall be equipped with an operational continuous temperature monitoring and recording instrument. [District , Rules 2201, 2520, 9.3.2, and 40 CFR Part 64] Federally Enforceable Through Title V Permit
43. Each regenerative thermal oxidizer shall be operated at a minimum temp. of 1400 deg. F. The regenerative thermal oxidizer shall be preheated to 1400 deg. F prior to the start-up of the heatset offset printing operation. Upon determining an excursion from this requirement, the permittee shall investigate the excursion and take corrective action to minimize emissions and prevent recurrence of the excursion as expeditiously as practicable. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
44. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR part 64] Federally Enforceable Through Title V Permit
45. The permittee shall comply with the recordkeeping and reporting requirements of 40 CFR part 64.9. [40 CFR part 64] Federally Enforceable Through Title V Permit
46. If the District or EPA determine that a Quality improvement plan is required under 40 CFR part 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR Part 64.8. [40 CFR Part 64] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1646-34-3

EXPIRATION DATE: 09/30/2023

**EQUIPMENT DESCRIPTION:**

235 HP DETROIT DIESEL MODEL 1044-7312 DIESEL FIRED EMERGENCY IC ENGINE POWERING A FIRE PUMP

## PERMIT UNIT REQUIREMENTS

---

1. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. The operator shall: (1) Change the oil and filter every 500 hours of operation, or annually, whichever comes first; (2) Inspect the air cleaner every 1,000 hours of operation or annually, whichever comes first, and replace as necessary; and (3) Inspect all hoses and belts every 500 hours of operation or annually, whichever comes first, and replace as necessary. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
2. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
3. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
4. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63, Subpart ZZZZ] Federally Enforceable Through Title V Permit
5. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
6. This engine shall not be used for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
7. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
8. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702, 17 CCR 93115, and 40 CFR Part 63, Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115]
10. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.